


# Motorhomes 2026

## Technical Information

Valid from September 17th, 2025



# Dethleffs Plus Factors –

## Explanation of symbols

In the Dethleffs motorhomes you will find a lot of intelligent ideas and standard comfort equipment. Here you can see the most important symbols which you will find on the respective vehicle pages. More detailed information and explanations can also be found on [www.dethleffs.com/plus-factors](http://www.dethleffs.com/plus-factors)

### Family benefits



Family-friendly: At least 4 sleeping berths without seating lounge conversion



Flexible: A comfortable pull-down bed offers additional sleeping berths, if wanted.

### Added safety



Safe on the road: Premium broad gauge low platform for secure and dynamic driving experience

### Added comfort



Inviting: 70 cm XXL entrance door



“SleepWell”: Fixed beds with 7-zone mattresses and ergonomic wooden bed frames.



Put your feet up: Comfortable L-shaped lounge with free-standing table



Freedom of movement: Separate shower and the washing area can be connected to a big bathroom



Easy entrance: Thanks to lowered Coupé entrance step

### Added longevity



Long-lasting: Rot-proof body construction without wood inserts and with GRP covered underfloor, roof and rear (rear depending on layout)



Long-lasting: Rot-proof floor construction without wood inserts and with GRP covered underfloor (roof and rear depending on layout)



Durable: Proven reliable floor and body construction with GRP-covered sidewall, roof and rear, and excellent insulation



Well protected: Resistant GRP roof for protection against hail

### Added equipment



Winter specialist! Excellent winter resistance due to elaborate double floor construction in combination with standard hot water heating system



Winterproof: Heated double floor with frost-protected water installation and additional storage space



Rear Wheel Drive of base chassis



For a healthy indoor climate: Optimal rear ventilation of overhead lockers avoids condensation



King of storage: Particularly high rear garages thanks to Dethleffs drop chassis extension



Height-adjustable queens bed: Comfortable entrance to bed or high garage



More power: 95 Ah battery with AGM technology for higher performance, longer life and shorter charging time



More power: 150 Ah battery with AGM technology for higher performance, longer life and shorter recharge time



System Control Unit: Your digital control center! Call up important vehicle data and control relevant consumers such as the refrigerator, heating and air conditioning via a touch display in the living area or via the mobile app

# IMPORTANT INFORMATION FOR THE SELECTION OF YOUR MOTORHOMES

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

## 1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Dethleffs specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.



### Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

## 2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is  $\pm 5\%$ . The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

### 3. The permitted number of seats (including driver)...

...is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section



### Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
● Permitted number of seats (including driver)		4	4
● Manufacturer-specified mass for optional equipment	kg	245	149

### 4. The manufacturer-specified mass for optional equipment...

... is a value set by Dethleffs per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

### Optional extra

		Price €	Additional weight	Code	Model 1	Model 2
<b>Bathroom</b>						
Shower grid	—	359,-	9	1385	—	○
Additional window in bathroom	—	269,-	5	9845	○	○
<b>Multimedia</b>						
Automatic HD satellite system 65 Twin	—	549,-	15	713	○	—
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel		238,-	1.5	1657	○	●

### 5.5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment."



## INDEX MOTORHOMES

**IMPORTANT INFORMATION** FOR THE SELECTION OF YOUR MOTORHOME ..... 2

**Globebus** Globebus I A Class ..... 5

**Globebus Camp** Globebus Camp Low Profile ..... 13

**Globebus Performance** Globebus Performance Low Profile ..... 22

**Just Camp** Just Camp Low Profile ..... 28

**Trend T** Trend Low Profile ..... 39

**Trend I** Trend A Class ..... 49

**Esprit** Esprit A Class ..... 58

**Alpa** Alpa Coach built ..... 68

**Alpa** Alpa A Class ..... 77

**XL Family A** XL Family Coach built ..... 86

**XL Family I** XL Family A Class ..... 93

**Globetrotter XL** Globetrotter XL ..... 100

**LEGAL NOTES** FOR WEIGHT-RELATED INFORMATION ..... 109

**TECHNICAL INFORMATION / FOOTNOTES** ..... 108

# Globebus I A Class



The range of ultra-compact A-Class motorhomes from Dethleffs offers the kind of effortless yet dynamic driving you would normally expect from a van! Ideal for city trips and mountain roads. Despite its compact dimensions, it gives you all the benefits of a full-sized motorhome, such as excellent insulation, freedom of movement and kitchen and bathroom facilities. Our Gran Turismo package is perfect for anyone who appreciates strikingly sporty details.

## Technical info

Overall length, approx.	599 - 695 cm
Overall width, approx.	220 cm
Overall height, approx.	281 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery




+ Upholstery Floyd



+ Upholstery Duke

○



+ Upholstery Jupiter

○

## Wood décor



+ Wood décor Noce Nagano

○ optionally available

## Plus factors

- + Proven Dethleffs quality at an attractive price
- + Extensive standard chassis equipment with 16" aluminium wheels, 90-litre fuel tank and leather steering wheel with controls
- + Agile and safe handling due to compact exterior dimensions with an external width of only 2.20 m
- + Sporty, striking Gran Turismo (GT) equipment package (optional)
- + Fully equipped kitchen with 2-burner stove, trash can, multiflex rail system and much more.
- + Pleasant sleeping comfort due to 150 mm thick 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames
- + Centrally positioned heating for optimum heat distribution
- + Tensioning nets in the rear - clever storage space under the overhead locker
- + 10-year tightness guarantee!



# Globebus I A Class

## Technical info



Globebus I A Class		I 1	I 4	I 6
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e/6e-bis	Euro 6e/6e-bis	Euro 6e/6e-bis
Overall length, approx.	cm	599	660	695
Overall width, approx.	cm	220	220	220
Overall height, approx.	cm	281 <sup>1)</sup>	281 <sup>1)</sup>	281 <sup>1)</sup>
Headroom in living area, approx.	cm	198	198	198
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3450	3800	3800
Bed dimension: Front bed, L x W, approx.	cm	185 x 150	185 x 150	185 x 150
Bed dimension: Rear bed, L x W, approx.	cm	200 x 145	202 x 80 / 192 x 75 / 200 x 146	200 x 155 / 195 x 80 / 195 x 75
Sleeping berths standard / max.		4	4	4
Mass in running order (+/-5%)*	kg	2827 (2686 to 2968)*	2884 (2740 to 3028)*	2954 (2806 to 3102)*
Manufacturer-specified mass for optional equipment*	kg	339	276	202
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20
Measurement storage opening right (W x H)	cm	75 x 100	60 x 105	95 x 105
Measurement storage opening left (W x H)	cm	95 x 80	60 x 85	95 x 85

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

I 1	I 4	I 6
-----	-----	-----

Fiat chassis			
Alloy wheel Fiat 16 ", black	●	—	—
Alloy wheel Fiat 16 ", black	—	●	●
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	—	●	●
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	●	—	—
Right-hand drive chassis	●	●	●
Fiat chassis features			
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●
Additional protection for radiator through grille at front of vehicle	●	●	●
Anti-theft device	●	●	●
Automatic Brake Assist after a collision	●	●	●
Captain seats: integrated headrests, two armrests, swivel function	●	●	●
Chassis in right-hand drive version	●	●	●
Crosswind Assist	●	●	●
Cruise control	●	●	●
Cup holder in the centre of the dashboard	●	●	●
Dashboard with aluminium application	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●
Driver and passenger airbags	●	●	●
Driver and passenger detection	●	●	●
Driver's cab manual A/C	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●
Front-wheel drive	●	●	●
Height and tilt adjustable incl. two padded armrests for the driver and front passenger seat	●	●	●
Leather steering wheel and gear knob withleather sleeve	●	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●	●
Pleated blinds in the windscreen and side windows of the drive's cab for the best insulation and privacy	●	●	●
Rear axle mudflaps	●	—	—
Rear axle mudflaps	—	●	●
Right-hand drive with exhaust on the left side	●	●	●
Steering wheel with control elements	●	●	●
Trailer Stability Assist	●	●	●
Tyre inflation kit and towing eye	●	●	●
Tyres M+S Camping (with snowflake)	●	●	●
Exterior features			
60 cm wide habitation door	●	—	—
70 cm wide habitation door	—	●	●
Bedroom windows right and left with blackout & mosquito screen	●	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●	●	●
Driver's cab door left	●	●	●
EPS insulation	●	●	●
Exterior design GT (paint of I-front partly black, extended GT stickers, skidplate "red")	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●
Flyscreen habitation door	●	●	●
GRP roof	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●	●	●
High characteristic Dethleffs Exclusive rear light carrier with 3rd brake light	●	●	●
Large rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●	●	●
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	●	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●	●
Panoramic skylight 75x105 cm above the seating lounge	●	●	●

# Standard equipment

	I 1	I 4	I 6
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●	●
Skylight 40 x 40 cm above rear bed	●	●	●
<b>Exterior design</b>			
Exterior body painted in white	●	●	●
<b>Interior design</b>			
Upholstery Floyd	●	●	●
Wood décor Noce Nagano	●	●	●
<b>Textile equipment</b>			
Carpet, loose	●	—	—
Carpet, loose	—	●	—
Carpet, loose	—	—	●
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●
<b>Furniture layouts</b>			
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	●	●	●
Double bed high in the rear, transverse	●	—	—
Floor-to-ceiling wooden sliding door to the bedroom	—	—	●
Full body mirror	●	●	●
High-level single beds incl. comfortable access via steps	—	●	●
Manual pull-down bed in the driver's cab	●	●	●
Multifunctional storage space underneath the double bed incl. wardrobe, accessible from inside and outside, illuminated, bed frame adjustable	●	—	—
Option to convert single bed to double bed	—	●	—
Option to convert single bed to double bed	—	—	●
Overhead locker doors with soft-close function	●	●	●
Two practical tension nets under the overhead locker in the rear bed	●	●	●
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	●	—	●
<b>Kitchen</b>			
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	—	●	●
Fridge (137 l) instead of tall wardrobe	●	—	—
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●	●
Kitchen back panel in metallic grey	●	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●	●
Oven in the kitchen floor units	●	●	●
<b>Bathroom</b>			
Comfort bathroom with separable shower	—	—	●
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●	●
Shower grate	●	●	●
Toilet room with practical swivelling wall incl. shower fitting and large washbasin	●	●	—
<b>Multimedia</b>			
DAB+ radio antenna mounted on the roof	●	●	●
Flat-screen TV bracket	●	●	●
Pre-wiring for first rear view camera	●	●	●
Pre-wiring for satellite system	●	●	●
Preparation for radio system incl. sound package in the driver's cabin	●	●	●
<b>Heating</b>			
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●
<b>Air Conditioning</b>			
Pre-wiring for roof A/C	●	●	●
<b>Electrical installation</b>			
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●	●
Awning light 12 V	●	●	●

# Standard equipment

	I 1	I 4	I 6
EBL with separate FI protection switch	●	●	●
LED lighting throughout the vehicle	●	●	●
Leisure battery AGM, 95 Ah	●	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●	●
Light Moments: Indirect wall surface ambient lighting	●	●	●
Luxus on-board control panel	●	●	●
Number of sockets 1x 12V, 6x 230V, 2x USB	●	●	●
Pre-wiring for solar	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●
Two-tone sockets and switches	●	●	●
<b>Water supply</b>			
Fresh water tank in insulated and heated area	●	●	●
Insulated waste water tank	●	●	●
Submersible pump	●	●	●
<b>Gas supply</b>			
Storage space for 2 gas bottles with a filling weight of 11 kg each	●	●	●
<b>Safety</b>			
Smoke detector	●	●	●

# PACKAGES GLOBEBUS I A CLASS

Package	Active Package I 1 (14824)	Active Package I 4 (14824)	Active Package I 6 (14824)
Rear view camera (single camera)	x	x	x
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	x	x	x
Insulated waste water tank	x	x	x
Digital control element for hot air heating	x	x	x
Pre-wiring for roof A/C	x	x	x
Pre-wiring for second rear view camera	x	x	x
Upholstery Jupiter	x	x	x
Light Moments: Illuminated window panelling in the living room	x	x	x
Omnistor cassette awning 4.0 m (manual)	x		
Omnistor cassette awning 4.5 m (manual)		x	
Omnistor cassette awning 5.0 m (manual)			x
Additional weight (kg)*	52.05	56.05	58.05

Package	Winter Comfort Package hot air heating Globebus I1 (5316)	Winter comfort package hot air heating Globebus I4 (5316)	Winter Comfort Package hot air heating Globebus I6 (5316)
Insulated under-floor pipes	x	x	x
Waste water tank and pipes electrically heated	x	x	x
Switch for water pump	x	x	x
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	x	x	x
Insulated waste water tank	x	x	x
XPS insulation	x		
XPS insulation		x	
XPS insulation			x
Additional weight (kg)*	25.2	27.2	28.2

Chassis Package (14509)	
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	
Electric parking brake	
Additional weight (kg)*	-9.1

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	I 1	I 4	I 6
<b>Fiat chassis</b>						
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	—	60	140A	●	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	—	60	180A	—	○	○
<b>Weight upgrade</b>						
Weight upgrade 3,650 kg <sup>2)</sup>	—	0	10769	○	○	○
<b>Fiat chassis features</b>						
Rear corner steadies (2 pieces)	—	6	390	○	○	○
Reinforced spring for front axle	—	3.75	1889	○	○	○
Tow bar (check permissible gross towing weight for trailer operation) <sup>3)</sup>	—	57	273	○	—	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	60	273	—	○	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	65	273	—	—	○
<b>Exterior features</b>						
Bike rack for 3 bikes (lowerable)	—	20.5	7482	○	○	○
Bike rack for 3 bikes (rear)	—	9.6	938	○	○	○
Omnistor cassette awning 4.0 m (manual)	AC-P	34	859	○	—	—
Omnistor cassette awning 4.5 m (manual)	AC-P	38	930	—	○	—
Omnistor cassette awning 5.0 m (manual)	AC-P	40	697	—	—	○
Panorama skylight 70 x 50 cm above the pull-down bed	—	6	246	○	○	○
<b>Interior design</b>						
Upholstery Duke	—	0	11949	○	○	○
Upholstery Jupiter <sup>4)</sup>	AC-P	0	14820	○	○	○
<b>Furniture layouts</b>						
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	○	○	○
<b>Bathroom</b>						
Window in bathroom	—	5	372	—	—	○
<b>Multimedia</b>						
5G WLAN router incl. 4x4 roof antenna	—	1.5	14899	○	○	○
5G Wi-Fi router incl. 4x4 roof antenna with flat screen 22" HD TV incl. flat screen bracket	—	7	15164	○	○	○
Automatic HD satellite system 65 Twin with 22" HD TV flat screen incl. flat screen bracket	—	16.5	15161	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto <sup>5)</sup>	AC-P	3.65	9582	○	○	○
Rear view camera (single camera)	AC-P	1.1	1642	○	○	○
Second rear view camera in rear moulding	—	1	11541	○	○	○
<b>Heating</b>						
Floor heating electric (partial)	—	5	763	○	○	○
<b>Air Conditioning</b>						
Roof A/C	—	40	609	○	○	○
<b>Electrical installation</b>						
Second leisure battery AGM, 95 Ah <sup>6)</sup>	—	27	830	○	○	○
Solar power system 100 watt	—	12.6	922	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Optional equipment<sup>\*\*</sup>

	Included in package	Additional weight (kg) <sup>*</sup>	Code	I 1	I 4	I 6
<b>Water supply</b>						
Outdoor shower (cold water)	—	0.5	793	○	○	○
Switch for water pump	WI-KO	0.2	397	○	○	○
<b>Gas supply</b>						
Automatic gas cylinder switchover incl. crash sensor and EisEx	—	2.5	1577	○	○	○
Outdoor gas socket gas pressure 30 mbar	—	1.3	878	○	○	○
<b>Safety</b>						
2 kg fire extinguisher	—	4	1878	○	○	○
Alarm system (for door with central locking)	—	0.5	322	○	○	○
Safe	—	4.7	323	○	○	○
<b>Packages</b>						
Active Package I 1	—	52.05	14824	○	—	—
Active Package I 4	—	56.05	14824	—	○	—
Active Package I 6	—	58.05	14824	—	—	○
Chassis Package	—	-9.1	14509	○	○	○
Winter Comfort Package hot air heating Globebus I1 <sup>7)</sup>	—	25.2	5316	○	—	—
Winter Comfort Package hot air heating Globebus I6 <sup>7)</sup>	—	28.2	5316	—	—	○
Winter comfort package hot air heating Globebus I4 <sup>7)</sup>	—	27.2	5316	—	○	—

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

AC-P Active Package WI-KO Winter Comfort Package



<sup>\*</sup> INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Globebus Camp Low Profile



The Globebus Camp is a compact low-profile motorhome built on a Fiat Ducato chassis. With a width of just 220 cm and a length starting at 599 cm, it combines the compact dimensions of a camper van with the comfort and space of a traditional motorhome. Thanks to excellent insulation and various winter options, the Globebus Camp is the perfect travel companion all year round.

## Technical info

Overall length, approx.	599 - 663 cm
Overall width, approx.	220 cm
Overall height, approx.	273 cm
Headroom in living area, approx.	190 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Calypso  
incl. driver and  
passenger seat cover



+ Upholstery Salerno  
incl. driver and  
passenger seat cover  
○



+ Upholstery Jupiter  
○

## Wood décor



+ Wood décor Noce Nagano

○ optionally available

## Plus factors

- + Agile and safe handling thanks to compact VAN dimensions with an external width of only 2.20 m and an external height of 2.73 m
- + Opening window in the cab bonnet
- + Proven Lifetime body construction with GRP outer skin and excellent insulation. There is a special Winter Comfort Package for winter campers
- + Pleasant sleeping comfort thanks to 150 mm thick 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames
- + Electrically operated compressor refrigerator with perfect cooling performance
- + Diesel heater with 6 kW heat output and 10 litre hot water boiler
- + Extensive standard chassis equipment with 16" aluminium rims, fog lights, 90 l diesel tank, leather steering wheel with controls, etc.
- + 10-year tightness guarantee!



# Globebus Camp Low Profile Technical info



Globebus Camp Low Profile		T 1	T 4
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Standard engine		140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)
Emission standards		Euro 6e/6e-bis	Euro 6e/6e-bis
Overall length, approx.	cm	599	663
Overall width, approx.	cm	220	220
Overall height, approx.	cm	273 <sup>1)</sup>	273 <sup>1)</sup>
Headroom in living area, approx.	cm	190	190
Towable load braked/unbraked	kg	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3450	3800
Bed dimension: Central / middle bed, L x W, approx.	cm	155 x 94 - 78	155 x 94 - 78
Bed dimension: Rear bed, L x W, approx.	cm	199 x 140	201 x 80 / 192 x 75 / 198 x 160
Sleeping berths standard / max.		3	3
Mass in running order (+/-5%)*	kg	2663 (2530 to 2796)*	2745 (2608 to 2882)*
Manufacturer-specified mass for optional equipment*	kg	503	414
Technically permissible maximum laden mass*	kg	3499	3499
Permitted number of seats (including driver)*		4	4
Refrigerator volume (thereof freezer), approx.	l	131 (15)	131 (15)
Waste water tank, approx.	l	95	95
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	115 / 20	115 / 20
Measurement storage opening right (W x H)	cm	75 x 90	60 x 95
Measurement storage opening left (W x H)	cm	35 x 70	65 x 75

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

T 1

T 4

Fiat chassis		
Alloy wheel Fiat 16 ", black	●	●
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	●	●
Right-hand drive chassis	●	●
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●
Anti-theft device	●	●
Automatic Brake Assist after a collision	●	●
Cab blackout blinds	●	●
Captain seats for driver and front passenger, swivel function	●	●
Chassis in right-hand drive version	●	●
Crosswind Assist	●	●
Cruise control	●	●
Cup holder in the centre of the dashboard	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●
Dashboard with aluminium application	●	●
Daytime running lights integrated into headlights	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●
Driver and passenger airbags	●	●
Driver and passenger detection	●	●
Driver's cab manual A/C	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●
Exterior colour chassis white	●	●
Fog lights incl. cornering light	●	●
Front-wheel drive	●	●
Height and tilt adjustment and double armrests for driver and passenger seat	●	●
Leather steering wheel and gear knob withleather sleeve	●	●
Painted front bumper in body colour incl. black skid plate	●	●
Preparation for radio system incl. loudspeakers in the driver's cabin	●	●
Rear axle mudflaps	●	●
Right-hand drive with exhaust on the left side	●	●
Steering wheel with control elements	●	●
Trailer Stability Assist	●	●
Tyre inflation kit and towing eye	●	●
Tyres M+S Camping (with snowflake)	●	●
Exterior features		
60 cm wide habitation door	●	—
70 cm wide habitation door	—	●
Access locker door left	—	●
Access locker door left	●	—
Bedroom windows right and left with blackout & mosquito screen	●	●
Dethleffs Exclusive rear light carrier with 3rd brake light	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●	●
EPS insulation	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●
Flyscreen habitation door	●	●
GRP roof	●	●
Habitation access with comfortable, wide, electric step	●	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●	●
Large rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●	●
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	●	●
Opening window in T-hood	●	●

# Standard equipment

	T 1	T 4
Panorama skylight 70 x 50 cm in the living area	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●
Skylight 40 x 40 cm above rear bed	●	●
<b>Exterior design</b>		
Exterior body painted in white	●	●
<b>Interior design</b>		
Upholstery Calypso incl. driver and passenger seat cover	●	●
Wood décor Noce Nagano	●	●
<b>Textile equipment</b>		
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●
<b>Furniture layouts</b>		
Double bed high in the rear, transverse	●	—
High-level single beds incl. comfortable access via steps	—	●
Makeshift bed	●	●
Option to convert single bed to double bed	—	●
Overhead locker doors with soft-close function	●	●
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table <sup>8)</sup>	●	—
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table <sup>8)</sup>	—	●
Two practical tension nets under the overhead locker in the rear bed	●	●
<b>Kitchen</b>		
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●
Kitchen backsplash	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●
Room-high compressor refrigerator with separate freezer compartment (131 l)	●	●
<b>Bathroom</b>		
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●
Shower grate	●	●
Toilet room with practical swivelling wall incl. shower fitting and large washbasin	●	●
<b>Multimedia</b>		
Flat-screen TV bracket	●	●
Pre-wiring for first rear view camera	●	●
Pre-wiring for satellite system	●	●
<b>Heating</b>		
Diesel hot air heating 6 kW with hot water boiler and integrated height kit	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●
<b>Air Conditioning</b>		
Pre-wiring for roof A/C	●	●
<b>Electrical installation</b>		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●
Awning light 12 V	●	●
EBL with separate FI protection switch	●	●
LED lighting throughout the vehicle	●	●
Leisure battery AGM, 95 Ah	●	●
Light Moments: Illuminated window panelling in the living room	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●
Light Moments: Indirect wall surface ambient lighting	●	●
Light Moments: illuminated kitchen splashback	●	●
Number of sockets 1x 12V, 7x 230V, 4x USB	●	●
On-board control panel	●	●
Pre-wiring for solar	●	●
Spotlights in the roof lining above the habitation door	●	●

# Standard equipment

T1

T4

## Water supply

Fresh water tank in insulated and heated area



Submersible pump



## Gas supply

Storage space for a gas cylinder with a filling weight of 2.75 kg



## Safety

Smoke detector



# PACKAGES GLOBEBUS CAMP LOW PROFILE

Package	Active Package T4 (14821)	Active Package T1 (14821)
Rear view camera (single camera)	x	x
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	x	x
Digital control element for hot air heating	x	x
Pre-wiring for second rear view camera	x	x
Upholstery Jupiter	x	x
Active exterior design (rear light carrier with black diffuser, extended labelling, 'red' skid plate)	x	x
Roof awning Omnistor 4.0 m (manual)	x	
Insulated waste water tank	x	
Roof awning Omnistor 3.25 m (manual)		x
Insulated waste water tank		x
Additional weight (kg)*	55.35	49.85

Package	Winter Comfort Package hot air heating Globebus Camp T1 (14411)	Winter Comfort Package hot air heating Globebus Camp T4 (14411)
Insulated under-floor pipes	x	x
Switch for water pump	x	x
Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit	x	x
Waste water tank and pipes electrically heated	x	x
Insulated waste water tank	x	
XPS insulation	x	
Insulated waste water tank		x
XPS insulation		x
Additional weight (kg)*	22.5	23.5

## Chassis Package (14476)

Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console

Electric parking brake

Full LED low beam

Additional weight (kg)\*

-9.1



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

### Assistance ACC Package Fiat (15117)

Adaptive Cruise Control (ACC), > 30 km/h  
Rain and light sensor with automatic dimming  
Emergency Brake Assist with pedestrian detection  
Lane Keep Assist  
Traffic Sign Assist  
Attention Assist  
Intelligent speed assistant

Additional weight (kg)*	0.5
-------------------------	-----

### Assistance Package Fiat (14477)

Rain and light sensor with automatic dimming  
Emergency Brake Assist with pedestrian detection  
Lane Keep Assist  
Traffic Sign Assist  
Attention Assist  
Intelligent speed assistant

Additional weight (kg)*	0.5
-------------------------	-----

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	T1	T4
<b>Fiat chassis</b>					
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	—	60	140A	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	—	60	180A	—	○
<b>Weight upgrade</b>					
Weight upgrade 3,650 kg <sup>2)</sup>	—	0	10769	○	○
<b>Fiat chassis features</b>					
Tow bar (check permissible gross towing weight for trailer operation) <sup>3)</sup>	—	57	273	○	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	60	273	—	○
<b>Exterior features</b>					
Bike rack for 3 bikes (lowerable)	—	21.1	7482	○	○
Bike rack for 3 bikes (rear)	—	9.6	938	○	○
<b>Interior design</b>					
Upholstery Jupiter <sup>4)</sup>	—	0	14820	○	○
Upholstery Salerno incl. driver and passenger seat cover	—	0	12747	○	○
<b>Furniture layouts</b>					
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	○	○
<b>Multimedia</b>					
5G WLAN router incl. 4x4 roof antenna	—	1.5	14899	○	○
5G Wi-Fi router incl. 4x4 roof antenna with flat screen 22' HD TV incl. flat screen bracket	—	7	15164	○	○
Automatic HD satellite system 65 Twin with 22' HD TV flat screen incl. flat screen bracket	—	16.5	15161	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	—	3.65	9582	○	○
Rear view camera (single camera)	—	1.1	1642	○	○
Second rear view camera in rear moulding	—	1	11541	○	○
<b>Heating</b>					
Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit	—	1.3	11585	○	○
Digital control element for hot air heating	—	0.1	6622	○	○
<b>Air Conditioning</b>					
Roof A/C	—	40	609	○	○
<b>Electrical installation</b>					
2nd Leisure battery Dual Battery System (Lithium), 140 Ah <sup>6)</sup>	—	19	13968	○	○
Second leisure battery AGM, 95 Ah <sup>6)</sup>	—	27	830	○	○
Solar power system 100 watt	—	12.6	922	○	○
<b>Water supply</b>					
Insulated waste water tank	—	8.5	13742	—	○
Insulated waste water tank	—	9	13742	○	—
Switch for water pump	—	0.2	397	○	○
<b>Packages</b>					
Active Package T1	—	49.85	14821	○	—
Active Package T4	—	55.35	14821	—	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	T1	T4
Assistance ACC Package Fiat	—	0.5	15117	○	○
Assistance Package Fiat	—	0.5	14477	○	○
Chassis Package	—	-9.1	14476	○	○
Winter Comfort Package hot air heating Globebus Camp T1 <sup>7)</sup>	—	22.5	14411	○	—
Winter Comfort Package hot air heating Globebus Camp T4 <sup>7)</sup>	—	23.5	14411	—	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Globebus Performance Low Profile


Limitless freedom for every adventure: the Dethleffs Globebus Performance 4x4 impresses with all-wheel drive, a rugged chassis and off-grid capability. Whether you're venturing off the beaten track or escaping the daily grind, its modern design, smart engineering and exceptional comfort turn every journey into an unforgettable experience.

## Technical info


Overall length, approx.	685 cm
Overall width, approx.	220 cm
Overall height, approx.	288 cm
Headroom in living area, approx.	190 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Saros



+ Upholstery Yoko

○



+ Upholstery Heron  
(partial textile-  
leather) ○

## Wood décor



+ Wood décor Ashton

○ optionally available

## Plus factors

- + VW Crafter with 163 hp (120 kW), 8-speed automatic transmission and indium grey paint finish as a powerful and striking base model
- + All-wheel drive with reinforced front axle, differential lock, raised suspension and air suspension on the rear axle masters even demanding terrain
- + Advanced assistance package with ACC, intelligent speed and travel lane assist, and much more takes safety and driving comfort to a new level.
- + Campernet 5G router with roof antenna, 32" Smart TV, SCU Light and DiscoverPro navigation system combine connectivity with smart control
- + 95 Ah AGM battery pack, diesel heater and 131-litre compressor refrigerator enable self-sufficient travel with maximum independence
- + 10-year tightness guarantee!



# Globebus Performance

## Low Profile

### Technical info



Globebus Performance Low Profile		T 46 4x4
Standard chassis		VW Crafter - 4Motion
Standard engine		2,0 l TDI
kW (bhp)		120 (163)
Emission standards		Euro VI-E
Overall length, approx.	cm	685
Overall width, approx.	cm	220
Overall height, approx.	cm	288 <sup>1)</sup>
Headroom in living area, approx.	cm	190
Towable load braked/unbraked	kg	2500 / 750
Wheelbase, approx.	mm	3640
Bed dimension: Central / middle bed, L X W, approx.	cm	163 x 94 - 76
Bed dimension: Rear bed, L x W, approx.	cm	202 x 80 / 192 x 75 / 198 x 160
Sleeping berths standard / max.		3
Mass in running order (+/-5%)*	kg	3095 (2940 to 3250)*
Manufacturer-specified mass for optional equipment*	kg	617
Technically permissible maximum laden mass*	kg	3880
Permitted number of seats (including driver)*		4
Refrigerator volume (thereof freezer), approx.	l	83 (10) / 131 (15) ○
Waste water tank, approx.	l	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	115 / 20
Measurement storage opening right (W x H)	cm	65 x 105
Measurement storage opening left (W x H)	cm	65 x 105

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

## Volkswagen chassis

VW Crafter chassis (3,880 kg), 2.0 l TDI (120 kW / 163 PS) Heavy Duty, 4 Motion all-wheel drive, 8-speed torque converter automatic transmission ●

## Weight upgrade

Technical increase of the permissible gross weight from 3.5 t to 3.88 t ●

## Chassis equipment Volkswagen

"Comfort" mobile phone interface with inductive charging function ●

"Lane Assist" lane departure warning system ●

Airbag for driver and front passenger with passenger airbag deactivation ●

Blind spot warning left and collision warning RHD ●

Central locking with keyless start system "KeylessStart" ●

Chassis in right-hand drive version ●

Digital Cockpit Pro ●

Digital radio reception (DAB+) ●

Electronic stabilisation programme and ABS ●

Elektronische Parkbremse ●

Exterior mirror left and right, convex, with integrated LED indicator and wide-angle range ●

First aid kit, warning triangle and safety vest ●

Front Assist with warning and braking for vehicles, pedestrians and cyclists ●

Front axle, reinforced (axle load 2,100 kg) ●

Front bumper in grey with painted trim in body colour ●

Fuel tank with 75 l tank capacity ●

Hill Start Assist ●

Instrument use mph ●

Interior colour: titanium black, dashboard palladium titanium black, floor: pearl grey ●

Intermittent wiper circuit with light and rain sensor ●

Laminated glass windscreen in heat insulating glazing ●

Multifunction leather steering wheel with Tiptronic ●

Preparation for trailer device (incl. trailer stabilization) with cable set and control unit ●

Puncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant ●

Rear axle air suspension ●

Rear view camera ●

Right-hand drive ●

Suspension/damping, reinforced and stabilisation, reinforced ●

Swivel seat left, with two armrests ●

Swivel seat right, with two armrests ●

Tool kit ●

Traffic Sign Recognition ●

Tyre pressure monitoring system ●

USB-C charging socket cab ●

## Exterior features

70 cm wide habitation door with window and blind ●

Bedroom windows right and left with blackout & mosquito screen ●

Dethleffs Exclusive rear light carrier with ShapeLine LED rear lights and skirts in black and 3rd brake light integrated in rear spoiler incl. rear view ●

EPS insulation ●

Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm ●

Flyscreen habitation door ●

GRP roof ●

Habitation access with comfortable coupe entrance ●

Habitation access with comfortable, wide, electric step ●

Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof ●

Opening window in T-hood ●

Panorama skylight 70 x 50 cm in the living area ●

# Standard equipment

T 46 4x4

Rear garage: two garage doors/flaps with one-hand operation, rear lowering (150 kg surface load), heated, chequer plate, lashing rails, LED lighting, 1 x 230 V socket	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●
Skylight 40 x 40 cm above rear bed	●
Skylight 40 x 40 cm above the kitchen and rear bed	●
<b>Interior design</b>	
Upholstery Saros	●
Wood décor Ashton	●
<b>Textile equipment</b>	
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●
<b>Furniture layouts</b>	
AirPlus overhead locker rear ventilation to avoid condensation	●
High-level single beds incl. comfortable access via steps	●
Makeshift bed	●
Option to convert single bed to double bed	●
Overhead locker doors with soft-close function	●
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table	●
Two practical tension nets under the overhead locker in the rear bed	●
Window panelling in the living room	●
<b>Kitchen</b>	
Compressor refrigerator with freezer compartment (83 l)	●
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●
Kitchen backsplash	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●
<b>Bathroom</b>	
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●
Shower grate	●
Swiveling bathroom wall for optimal use of space	●
<b>Heating</b>	
Diesel hot air heating 6 kW with hot water boiler and integrated height kit	●
Digital control element for hot air heating	●
Heating in the seating unit for optimum heat distribution, built-in	●
<b>Electrical installation</b>	
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●
Awning light 12 V	●
Dethleffs connect - System Control Unit Lite	●
EBL with separate FI protection switch	●
Functional lighting (surface-mounted and recessed spotlights)	●
LED lighting throughout the vehicle	●
Leisure battery AGM, 95 Ah	●
Premium on-board control panel with touchscreen	●
Spotlights in the roof lining above the habitation door	●
<b>Water supply</b>	
Fresh water tank in insulated and heated area	●
Submersible pump	●
<b>Gas supply</b>	
Storage space for a gas cylinder with a filling weight of 2.75 kg	●
<b>Safety</b>	
Smoke detector	●

# PACKAGES GLOBEBUS PERFORMANCE

## LOW PROFILE

### First Edition Package (15417)

Hanma 18-inch aluminium wheel, matt black, LoderTire AT 255/55 R18 (M+S snowflake) incl. wheel arch cover VA  
 Front and rear axle lift  
 LED Lightbar T-hood  
 Cab blackout blinds  
 Habitation door with window incl. blackout and central locking (incl. cab door)  
 Roof vent with fan  
 Double-glazed flush-fitting windows with blackout & mosquito protection  
 Cassette awning Omnistor 4.0 m incl. LED lighting (manual)  
 Roof rail  
 Access ladder for roof rails incl. cross member  
 2nd Leisure battery Dual Battery System (Lithium), 168 Ah  
 Light Moments: Indirect ambient lighting above the overhead lockers  
 Light Moments: Indirect wall surface ambient lighting  
 Light Moments: Clad seat chest side with indirect lighting  
 Light Moments: Illuminated window panelling in the living room  
 Light Moments: illuminated kitchen splashback  
 5G Wi-Fi router incl. 4x4 roof antenna with 32" smart TV incl. flat screen bracket  
 Room-high compressor refrigerator with separate freezer compartment (131 l)  
 FirstEdition exterior design (bi-colour paint T-hood, black edge strips)  
 Exterior paint finish habitation Grey  
 Chassis exterior colour: Indium grey metallic  
 Manual air conditioning  
 LED main headlights with LED daytime running lights  
 Light and view package  
 Preparation for VW Connect and VW Connect Plus  
 Electrically adjustable and heated exterior mirrors with integrated indicators  
 Advanced assistance package incl. automatic distance control (ACC), intelligent speed/travel/lane assist  
 Discover Media navigation system with 10" touch colour display  
 Differential lock  
 Hill start assist / downhill assist

Additional weight (kg)*	171.43
-------------------------	--------

### Winter comfort package Diesel hot air Globebus Performance (14938)

Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit  
 XPS insulation  
 Waste water tank and pipes electrically heated  
 Insulated waste water tank  
 Insulated under-floor pipes  
 Switch for water pump

Additional weight (kg)*	23.8
-------------------------	------

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	T 46 4x4
<b>Weight upgrade</b>				
Weight upgrade 4,500 kg	—	0	15634	○
<b>Chassis equipment Volkswagen</b>				
Front bar black matt	—	8	14902	○
Rear corner steadies (2 pieces)	—	7	390	○
Tow bar (observe when operating trailers with a maximum authorised load <sup>3)</sup> )	—	48	273	○
<b>Interior design</b>				
Upholstery Heron (partial textile-leather)	—	0	13726	○
Upholstery Yoko	—	0	13725	○
<b>Furniture layouts</b>				
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	○
<b>Heating</b>				
Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit	WI-KO	1.3	11585	○
Floor heating electric (partial)	—	5	763	○
<b>Water supply</b>				
Insulated under-floor pipes	WI-KO	0	702	○
Insulated waste water tank	WI-KO	8.5	14908	○
Switch for water pump	WI-KO	0.2	397	○
<b>Safety</b>				
2 kg fire extinguisher	—	4	1878	○
<b>Packages</b>				
First Edition Package <sup>9)</sup>	—	171.43	15417	◆
Winter comfort package Diesel hot air Globebus Performance	—	23.8	14938	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Just Camp Low Profile



Some decisions are easy. Such as whether to buy the Just Camp! With its trendy design, practical equipment and many fresh ideas, your first step into the world of motorhomes has never been easier. And with seven different layouts to choose from, you're certain to find one that meets your personal camping requirements.

## Technical info

Overall length, approx.	695 - 740 cm
Overall width, approx.	233 cm
Overall height, approx.	294 cm
Headroom in living area, approx.	213 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Drake



+ Upholstery Heron  
(partial textile-  
leather) ○

## Wood décor



+ Wood décor Noce Nagano

○ optionally available

## Plus factors

- + Proven Lifetime body construction with GRP outer skin and excellent insulation
- + 70 cm wide habitation door with central locking
- + Interior height 2.13 m (not below pull-down bed)
- + Pleasant sleeping comfort due to 150 mm thick 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames
- + 10-year tightness guarantee!



# Just Camp Low Profile Technical info



Just Camp Low Profile		T 6752 DBL	T 6762	T 6812 EB
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e/6e-bis	Euro 6e/6e-bis	Euro 6e/6e-bis
Overall length, approx.	cm	695	695	695
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	294 <sup>1)</sup>	294 <sup>1)</sup>	294 <sup>1)</sup>
Headroom in living area, approx.	cm	213	213	213
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	4035	4035	3800
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 ○	200 x 150	200 x 140 - 125 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	200 x 110 - 90 ○	210 x 120 ○	210 x 105 - 70 ○
Bed dimension: Rear bed, L x W, approx.	cm	190 x 150	—	198 x 80 / 200 x 80 / 210 x 170
Sleeping berths standard / max.		2 / 5 ○	2 / 4 ○	2 / 5 ○
Mass in running order (+/-5%)*	kg	2829 (2688 to 2970)*	2916 (2770 to 3062)*	2831 (2689 to 2973)*
Manufacturer-specified mass for optional equipment*	kg	327	240	325
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20
Measurement storage opening right (W x H)	cm	75 x 85	60 x 115	75 x 115
Measurement storage opening left (W x H)	cm	75 x 65	55 x 170	75 x 95



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Just Camp Low Profile Technical info



Just Camp Low Profile	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Standard chassis	Fiat Ducato Light Low Platform			
Standard engine	140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)	103 (140)	103 (140)	103 (140)	103 (140)
Emission standards	Euro 6e/6e-bis	Euro 6e/6e-bis	Euro 6e/6e-bis	Euro 6e/6e-bis
Overall length, approx. cm	740	740	740	740
Overall width, approx. cm	233	233	233	233
Overall height, approx. cm	294 <sup>1)</sup>	294 <sup>1)</sup>	294 <sup>1)</sup>	294 <sup>1)</sup>
Headroom in living area, approx. cm	213	213	213	213
Towable load braked/unbraked kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx. mm	4035	4035	4035	4035
Bed dimension: Front bed, L x W, approx. cm	200 x 140 - 125 ○	200 x 140 ○	200 x 140 - 125 ○	200 x 140 ○
Bed dimension: Central / middle bed, L X W, approx. cm	210 x 120 - 80 ○	206 x 110 - 90 ○	210 x 120 - 80 ○	206 x 110 - 90 ○
Bed dimension: Rear bed, L x W, approx. cm	2x 215 x 80 / 210 x 190	2x 215 x 80 / 210 x 190	190 x 150	190 x 150
Sleeping berths standard / max.	2 / 5 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○
Mass in running order (+/-5%)* kg	2882 (2738 to 3026)*	2914 (2768 to 3060)*	2874 (2730 to 3018)*	2906 (2761 to 3051)*
Manufacturer-specified mass for optional equipment* kg	270	238	278	246
Technically permissible maximum laden mass* kg	3499	3499	3499	3499
Permitted number of seats (including driver)*	4 - 5 ○	4	4 - 5 ○	4



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Just Camp Low Profile Technical info



Just Camp Low Profile	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Refrigerator volume (thereof freezer), approx. l	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○
Waste water tank, approx. l	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling l	116 / 20	116 / 20	116 / 20	116 / 20
Measurement storage opening right (W x H) cm	95 x 115	95 x 115	95 x 115	95 x 115
Measurement storage opening left (W x H) cm	95 x 95	95 x 95	95 x 95	95 x 95

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
<b>Fiat chassis</b>							
Alloy wheel Fiat 16 ", black	●	●	●	●	●	●	●
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	●	●	●	●	●	●	●
Right-hand drive chassis	●	●	●	●	●	●	●
<b>Fiat chassis features</b>							
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●	●	●	●	●
Anti-theft device	●	●	●	●	●	●	●
Automatic Brake Assist after a collision	●	●	●	●	●	●	●
Cab blackout blinds	●	●	●	●	●	●	●
Captain seats for driver and front passenger, swivel function	●	●	●	●	●	●	●
Chassis in right-hand drive version	●	●	●	●	●	●	●
Crosswind Assist	●	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●	●
Cup holder in the centre of the dashboard	●	●	●	●	●	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●	●	●	●	●	●
Dashboard with aluminium application	●	●	●	●	●	●	●
Daytime running lights integrated into headlights	●	●	●	●	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●	●	●	●	●
Driver and passenger airbags	●	●	●	●	●	●	●
Driver and passenger detection	●	●	●	●	●	●	●
Driver's cab manual A/C	●	●	●	●	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●	●	●	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●	●	●	●	●	●
Exterior colour chassis white	●	●	●	●	●	●	●
Fog lights incl. cornering light	●	●	●	●	●	●	●
Front-wheel drive	●	●	●	●	●	●	●
GRP lightweight leaf spring	●	●	●	●	●	●	●
Height and tilt adjustment and double armrests for driver and passenger seat	●	●	●	●	●	●	●
Leather steering wheel and gear knob with leather sleeve	●	●	●	●	●	●	●
Painted front bumper in body colour incl. black skid plate	●	●	●	●	●	●	●
Preparation for radio system incl. loudspeakers in the driver's cabin	●	●	●	●	●	●	●
Rear axle mudflaps	●	●	●	●	●	●	●
Right-hand drive with exhaust on the left side	●	●	●	●	●	●	●
Steering wheel with control elements	●	●	●	●	●	●	●
Trailer Stability Assist	●	●	●	●	●	●	●
Tyre inflation kit and towing eye	●	●	●	●	●	●	●
Tyres M+S Camping (with snowflake)	●	●	●	●	●	●	●
Widened rear axle	●	●	●	●	●	●	●
<b>Exterior features</b>							
70 cm wide habitation door	●	●	●	●	●	●	●
Access locker door left	●	—	—	—	—	—	—
Access locker door left	—	—	●	●	●	●	●
Dethleffs Exclusive rear light carrier with 3rd brake light	●	●	●	●	●	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection incl. panelled kitchen rear wall	●	●	●	●	●	●	●
EPS insulation	●	●	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●	●	●
Flyscreen habitation door	●	●	●	●	●	●	●
GRP roof	●	●	●	●	●	●	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●	●	●	●	●	●	●
Large rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●	—	●	●	●	●	●
Large rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	—	●	—	—	—	—	—
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	●	●	●	●	●	●	●
Opening window in T-hood	●	●	●	●	●	●	●

# Standard equipment

	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Panorama skylight 70 x 50 cm in the living area <sup>10)</sup>	●	●	●	●	●	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●	●	●	●	●	●
Skylight 40 x 40 cm above rear bed	●	—	●	●	●	●	●
Skylight 40 x 40 cm above the seating lounge	●	●	●	●	●	●	●
<b>Exterior design</b>							
Exterior body painted in white	●	●	●	●	●	●	●
<b>Interior design</b>							
Upholstery Drake	●	●	●	●	●	●	●
Wood décor Noce Nagano	●	●	●	●	●	●	●
<b>Textile equipment</b>							
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●	●	●
<b>Furniture layouts</b>							
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	—	—	●	●	—	●	—
Cosy lounge seating group with free-standing, rigid table base	●	●	—	—	●	—	●
Double bed low	●	—	—	—	—	—	—
Electric pull-down bed across the seating unit	—	●	—	—	—	—	—
Height-adjustable double bed	—	—	—	—	—	●	●
High-level single beds incl. comfortable access via steps	—	—	●	●	●	—	—
Option to convert single bed to double bed	—	—	●	●	●	—	—
Overhead locker doors with soft-close function	●	●	●	●	●	●	●
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	—	●	—	—	—	—	—
Wardrobe to the left and right of the queen-size bed	●	—	—	—	—	●	●
<b>Kitchen</b>							
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	—	●	●	●	●	●	●
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●	●	●	●	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●	●	●	●	●	●
Oven in the kitchen floor units	—	●	—	—	—	—	—
Oven in the kitchen floor units	—	—	●	●	●	●	●
<b>Bathroom</b>							
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●	●	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●	—	●	●	●	●
Shower grate	●	●	—	●	●	●	●
Shower grate	—	—	●	—	—	—	—
Swiveling bathroom wall for optimal use of space	—	—	●	—	—	—	—
<b>Multimedia</b>							
Pre-wiring for first rear view camera	●	—	—	—	—	—	—
Pre-wiring for satellite system	●	●	●	●	●	●	●
<b>Heating</b>							
Gas hot air heating 6kW with hot water boiler	●	●	●	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●	●	●	●
<b>Air Conditioning</b>							
Pre-wiring for roof A/C	—	●	●	●	●	●	●
<b>Electrical installation</b>							
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●	●	●	●	●	●
Awning light 12 V	●	●	●	●	●	●	●
EBL with separate FI protection switch	●	●	●	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●	●	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●	●	●	●	●	●
Light Moments: Indirect wall surface ambient lighting	●	●	●	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 4x USB	—	●	—	—	—	—	—

# Standard equipment

	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Number of sockets 1x 12V, 8x 230V, 4x USB	—	—	●	●	—	●	—
Number of sockets 1x 12V, 8x 230V, 5x USB	●	—	—	—	●	—	●
On-board control panel	●	●	●	●	●	●	●
Pre-wiring for solar	●	●	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●	●	●
<b>Water supply</b>							
Fresh water tank in insulated and heated area	●	●	●	●	●	●	●
Insulated waste water tank	●	●	●	●	●	●	●
Submersible pump	●	●	●	●	●	●	●
<b>Gas supply</b>							
Storage space for 2 gas bottles with a filling weight of 11 kg each	●	●	●	●	●	●	●
<b>Safety</b>							
Smoke detector	●	●	●	●	●	●	●

# PACKAGES JUST CAMP

## LOW PROFILE

Package	Active-Package T 6812 EB (14875)	Active-Package T 7052 EB/EBL/DBM/DBL (14875)
Rear view camera (single camera)	x	x
Digital control element for hot air heating	x	x
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	x	x
Light Moments: illuminated kitchen splashback	x	x
Upholstery Heron (partial textile-leather)	x	x
Active exterior design (rear light carrier with black diffuser, extended labelling, "red" skid plate)	x	x
Pre-wiring for roof A/C	x	x
Omnistor cassette awning 4.0 m (manual)	x	
Omnistor cassette awning 4.5 m (manual)		x
Window in bathroom		x
Additional weight (kg)*	40.05	49.05

Package	Winter Comfort Package hot air heating Just Camp 6752 DBL, 6762, 6812 EB (8251)	Winter Comfort Package hot air heating Just Camp 7052 (8251)
Insulated under-floor pipes	x	x
Waste water tank and pipes electrically heated	x	x
Insulated waste water tank	x	x
Switch for water pump	x	x
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	x	x
XPS insulation	x	
XPS insulation		x
Additional weight (kg)*	27.7	28.7

Package	Pre-wiring kit (11350)
Pre-wiring for solar	x
Pre-wiring for satellite system	x
Pre-wiring for first rear view camera	x
Pre-wiring for second rear view camera	x
Additional weight (kg)*	6.5



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

### Chassis Package (14476)

Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console

Electric parking brake

Full LED low beam

Additional weight (kg)\*

-9.1

### Assistance ACC Package Fiat (15117)

Adaptive Cruise Control (ACC), > 30 km/h

Rain and light sensor with automatic dimming

Emergency Brake Assist with pedestrian detection

Lane Keep Assist

Traffic Sign Assist

Attention Assist

Intelligent speed assistant

Additional weight (kg)\*

0.5

### Assistance Package Fiat (14477)

Rain and light sensor with automatic dimming

Emergency Brake Assist with pedestrian detection

Lane Keep Assist

Traffic Sign Assist

Attention Assist

Intelligent speed assistant

Additional weight (kg)\*

0.5

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
<b>Fiat chassis</b>										
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	—	60	140A	○	○	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	—	60	180A	○	○	○	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	—	60	M180A	○	○	—	○	○	○	○
<b>Weight upgrade</b>										
Weight upgrade 3,650 kg <sup>2)</sup>	—	0	10769	○	○	○	○	○	○	○
<b>Fiat chassis features</b>										
5th seat with seat belt <sup>3)</sup>	—	14	435	—	—	○	○	—	○	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	61	273	○	○	—	—	—	—	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	64	273	—	—	○	—	—	—	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	66	273	—	—	—	○	○	○	○
<b>Exterior features</b>										
Bike rack for 3 bikes (lowerable)	—	21.1	7482	○	○	○	○	○	○	○
Bike rack for 3 bikes (rear)	—	9.6	938	○	○	○	○	○	○	○
<b>Interior design</b>										
Upholstery Heron (partial textile-leather) <sup>4)</sup>	AC-P	0	13726	—	—	○	○	○	○	○
<b>Furniture layouts</b>										
Bed convert for seating lounge transverse	—	9	1944	—	○	—	—	—	—	—
Bed convert for seating lounge transverse	—	7	1944	—	—	○	—	—	—	—
Bed convert for seating lounge transverse	—	8.5	1944	—	—	—	○	—	○	—
Bed convert for seating lounge transverse	—	5.5	1944	○	—	—	—	○	—	○
Electric pull-down bed across the seating unit	—	72	680	—	—	○	○	—	○	—
Electric pull-down bed across the seating unit	—	77	680	○	—	—	—	○	—	○
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	—	—	○	○	—	○	—
<b>Kitchen</b>										
Fridge (137 l) with integrated oven	—	11	290	●	—	—	○	○	○	○
<b>Bathroom</b>										
Window in bathroom	AC-P	5	372	○	●	—	○	○	○	○
<b>Multimedia</b>										
Automatic HD satellite system 65 Twin with 22" HD TV flat screen incl. flat screen bracket	—	16.5	15161	○	○	○	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	AC-P	3.65	9582	○	○	○	○	○	○	○
Flat-screen TV bracket	—	2	325	○	○	○	○	○	○	○
Rear view camera (single camera)	AC-P	1.1	1642	○	○	○	○	○	○	○
Second rear view camera in rear moulding	—	1	11541	○	○	○	○	○	○	○
<b>Heating</b>										
Floor heating electric (partial)	—	5	763	○	○	○	○	○	○	○
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	WI-KO	1	330	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
<b>Air Conditioning</b>										
Roof A/C	—	40	609	—	○	○	○	○	○	○
<b>Electrical installation</b>										
Second leisure battery AGM, 95 Ah <sup>6)</sup>	—	27	830	○	○	○	○	○	○	○
Solar power system 100 watt	—	12.6	922	○	○	○	○	○	○	○
<b>Water supply</b>										
Switch for water pump	WI-KO	0.2	397	○	○	○	○	○	○	○
<b>Gas supply</b>										
Automatic gas cylinder switchover incl. crash sensor and EisEx	—	2.5	1577	○	○	○	○	○	○	○
<b>Packages</b>										
Active-Package T 6812 EB	—	40.05	14875	—	—	○	—	—	—	—
Active-Package T 7052 EB/EBL/DBM/DBL	—	49.05	14875	—	—	—	○	○	○	○
Assistance ACC Package Fiat	—	0.5	15117	○	○	○	○	○	○	○
Assistance Package Fiat	—	0.5	14477	○	○	○	○	○	○	○
Chassis Package	—	-9.1	14476	○	○	○	○	○	○	○
Pre-wiring kit	—	6.5	11350	○	—	—	—	—	—	—
Winter Comfort Package hot air heating Just Camp 6752 DBL, 6762, 6812 EB	—	27.7	8251	○	○	○	—	—	—	—
Winter Comfort Package hot air heating Just Camp 7052	—	28.7	8251	—	—	—	○	○	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory ▲ Not known at the time of publication

AC-P Active Package WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Trend Low Profile



Dethleffs' best-selling model has been completely refreshed: with its modern look, extensive standard specification and clever new functions, the Trend is the undisputed winner when it comes to value for money. A standout comfort feature is the level IsoProtect living room floor, running seamlessly from the cab to the bathroom. As a low-profile model, the Trend comes as standard with an opening window in the cab hood, creating a bright and airy interior.

## Upholstery



+ Upholstery Heron  
(partial textile-leather)

## Wood décor



+ Wood décor Ashton


### Technical info

Overall length, approx.	671 - 741 cm
Overall width, approx.	233 cm
Overall height, approx.	300 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Plus factors

- + Lifetime Smart superstructure - with wood-free, GRP-clad underbody
- + Aerodynamic T-hood with pop-up window as standard
- + Exclusive rear design with top-entry rear wall, ShapeLine LED tail lights and 3rd brake light integrated into the rear spoiler
- + Large rear garage can be loaded on both sides, one-hand operation of the garage doors, lighting, 230 V socket and sturdy lashing rails
- + 70 cm wide habitation door with convenient coupe entrance
- + Level Iso-Protect comfort flooring in the living area without landings or steps
- + New overhead locker concept with handleless fronts and large storage volume incl. AirPlus overhead locker rear ventilation
- + Sleeping area: Outstanding sleeping comfort with 150 mm thick Evopore cold foam mattresses
- + Modern entrance shelf with practical access handle, storage compartments and tensioning straps
- + 10-year tightness guarantee!



# Trend Low Profile Technical info



Trend Low Profile		T 6617 EB	T 6817 EB	T 6877
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e/6e-bis	Euro 6e/6e-bis	Euro 6e/6e-bis
Overall length, approx.	cm	671	699	699
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	300 <sup>1)</sup>	300 <sup>1)</sup>	300 <sup>1)</sup>
Headroom in living area, approx.	cm	205	205	205
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3800	3800	3800
Bed dimension: Front bed, L x W, approx.	cm	198 x 88 ○	198 x 140 - 112 ○	198 x 140 ○
Bed dimension: Central / middle bed, L x W, approx.	cm	155 x 100 - 80 ○	206 x 100 - 65 ○	210 x 118 - 80 ○
Bed dimension: Rear bed, L x W, approx.	cm	212 x 80 / 201 x 80 / 211 x 144	207 x 80 / 194 x 80 / 211 x 192	212 x 162
Sleeping berths standard / max.		2 / 4 ○	2 / 5 ○	2 / 5 ○
Mass in running order (+/-5%)*	kg	2843 (2701 to 2985)*	2888 (2744 to 3032)*	2911 (2765 to 3057)*
Manufacturer-specified mass for optional equipment*	kg	316	268	245
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20
Measurement storage opening right (W x H)	cm	75 x 75 ○ / 75 x 110	85 x 65 ○ / 85 x 110	85 x 110
Measurement storage opening left (W x H)	cm	40 x 75 ○ / 40 x 110	85 x 65 ○ / 85 x 110	85 x 110



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Trend

## Low Profile

### Technical info



Trend Low Profile		T 7057 EB	T 7057 DBL	T 7057 EBL
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e/6e-bis	Euro 6e/6e-bis	Euro 6e/6e-bis
Overall length, approx.	cm	741	741	741
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	300 <sup>1)</sup>	300 <sup>1)</sup>	300 <sup>1)</sup>
Headroom in living area, approx.	cm	205	205	205
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	198 x 140 - 120 ○	198 x 140 ○	198 x 140 ○
Bed dimension: Central / middle bed, L x W, approx.	cm	210 x 118 - 80 ○	206 x 110 - 88 ○	206 x 110 - 88 ○
Bed dimension: Rear bed, L x W, approx.	cm	214 x 80 / 212 x 80 / 211 x 201	195 x 150	211 x 80 / 207 x 80 / 211 x 198
Sleeping berths standard / max.		2 / 5 ○	2 / 5 ○	2 / 5 ○
Mass in running order (+/-5%)*	kg	2968 (2820 to 3116)*	2992 (2842 to 3142)*	3000 (2850 to 3150)*
Manufacturer-specified mass for optional equipment*	kg	184	160	152
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4 - 5 ○	4	4
Refrigerator volume (thereof freezer), approx.	l	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20
Measurement storage opening right (W x H)	cm	90 x 75 ○ / 90 x 110	90 x 110	90 x 75 ○ / 90 x 110
Measurement storage opening left (W x H)	cm	90 x 75 ○ / 90 x 110	90 x 110	90 x 75 ○ / 90 x 110

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
<b>Fiat chassis</b>						
Alloy wheel Fiat 16 "	●	●	●	●	●	●
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	●	●	●	●	●	●
Right-hand drive chassis	●	●	●	●	●	●
<b>Fiat chassis features</b>						
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●	●	●	●
Automatic Brake Assist after a collision	●	●	●	●	●	●
Cab blackout blinds	●	●	●	●	●	●
Captain seats for driver and front passenger, swivel function	●	●	●	●	●	●
Chassis in right-hand drive version	●	●	●	●	●	●
Crosswind Assist	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●
Cup holder in the centre of the dashboard	●	●	●	●	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●	●	●	●	●
Dashboard with aluminium application	●	●	●	●	●	●
Daytime running lights integrated into headlights	●	●	●	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●	●	●	●
Driver and passenger airbags	●	●	●	●	●	●
Driver and passenger detection	●	●	●	●	●	●
Driver's cab manual A/C	●	●	●	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●	●	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●	●	●	●	●
Exterior colour Chassis Black Metallic	●	●	●	●	●	●
Fog lights incl. cornering light	●	●	●	●	●	●
GRP lightweight leaf spring	●	●	●	●	●	●
Height and tilt adjustment and double armrests for driver and passenger seat	●	●	●	●	●	●
Leather steering wheel and gear knob with leather sleeve	●	●	●	●	●	●
Padded double armrests, fabric cover	●	●	●	●	●	●
Painted front bumper in body colour incl. black skid plate	●	●	●	●	●	●
Preparation for radio system incl. loudspeakers in the driver's cabin	●	●	●	●	●	●
Right-hand drive with exhaust on the left side	●	●	●	●	●	●
Steering wheel with control elements	●	●	●	●	●	●
Trailer Stability Assist	●	●	●	●	●	●
Tyre inflation kit and towing eye	●	●	●	●	●	●
Tyres M+S Camping (with snowflake)	●	●	●	●	●	●
Widened rear axle	●	●	●	●	●	●
<b>Exterior features</b>						
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall	●	●	●	●	●	●
70 cm wide habitation door	●	●	●	●	●	●
Bedroom windows right and left with blackout & mosquito screen	●	●	●	●	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●	●	●	●	●	●
EPS insulation	●	●	●	●	●	●
Exterior design GT (rear light carrier with black diffuser, extended stickers, "red" skid plate)	●	●	●	●	●	●
Flat, insulated Iso-Protect comfort functional floor with a large storage compartment in the living area	●	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●	●
Flyscreen habitation door	●	●	●	●	●	●
GRP roof	●	●	●	●	●	●
Habitation access with comfortable coupe entrance	●	●	●	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●	●	●	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●	●	●	●	●	●
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	●	●	●	●	●	●
Opening window in T-hood	●	●	●	●	●	●
Panorama skylight 70 x 50 cm in the living area	●	●	●	●	●	●

# Standard equipment

	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	●	●	●	●	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●	●	●	●	●
Skylight 40 x 40 cm above rear bed	●	●	●	●	●	●
Skylight 40 x 40 cm above the kitchen and rear bed	●	●	●	●	●	●
<b>Exterior design</b>						
Exterior body painted in white	●	●	●	●	●	●
<b>Interior design</b>						
Upholstery Heron (partial textile-leather)	●	●	●	●	●	●
Wood décor Ashton	●	●	●	●	●	●
<b>Textile equipment</b>						
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●	●
<b>Furniture layouts</b>						
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●	●	●
Comfortable lounge seating group with 2 folding seats incl. 3-point belts incl. Isofix and free-standing, rigid table base	—	—	—	—	●	●
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	●	●	●	●	—	—
Double bed high in the rear, transverse	—	—	●	—	—	—
Floor-to-ceiling closet with pull-out step for convenient access to the bed	—	—	●	—	—	—
Floor-to-ceiling wooden sliding door to the bedroom	—	—	—	●	●	●
Front hood extension with plenty of storage space and two practical tensioning nets each on the right and left	●	●	●	●	●	●
Height-adjustable double bed	—	—	—	—	●	—
High-level single beds incl. comfortable access via steps	●	●	—	●	—	●
Modern entrance shelf with practical entry handle, storage compartments and tensioning straps	—	●	●	●	●	●
Multifunctional storage space underneath the double bed incl. wardrobe, accessible from inside and outside, illuminated, bed frame adjustable	—	—	●	—	—	—
Option to convert single bed to double bed	●	●	—	●	—	●
Overhead locker doors with soft-close function	●	●	●	●	●	●
Overhead lockers in the rear area	●	●	—	●	—	●
Two practical tension nets under the overhead locker in the rear bed	●	●	●	●	●	●
Two practical tension nets under the overhead locker in the rear bed	●	●	●	●	●	●
Wardrobe to the left and right of the queen-size bed	—	—	—	—	●	—
<b>Kitchen</b>						
Fridge (137 l)	●	●	●	●	●	●
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●	●	●	●	●
Kitchen backsplash with spice rule	●	●	●	●	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●	●	●	●	●
Oven in the kitchen floor units	—	●	●	●	—	—
Oven in the kitchen floor units	●	—	—	—	●	●
<b>Bathroom</b>						
Comfort bathroom with separable shower	—	●	●	—	—	—
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	—	—	—	●	●	●
Shower grate	●	●	●	●	●	●
Toilet room with practical swivelling wall incl. shower fitting and large washbasin	●	—	—	—	—	—
Window in bathroom	—	●	●	●	●	●
<b>Multimedia</b>						
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	●	●	●	●	●	●
Flat-screen TV bracket	●	●	●	●	●	●
Integrated single-lens rear view camera	●	●	●	●	●	●
Pre-wiring for satellite system	●	●	●	●	●	●
<b>Heating</b>						
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	●	●	●	●	●	●

# Standard equipment

	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●	●	●
<b>Air Conditioning</b>						
Pre-wiring for roof A/C	●	●	●	●	●	●
<b>Electrical installation</b>						
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●	●	●	●	●
Awning light 12 V	●	●	●	●	●	●
EBL with separate FI protection switch	●	●	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●	●	●
Light Moments: Clad seat chest side with indirect lighting	●	●	●	●	—	—
Light Moments: Entrance segment with indirect lighting	—	●	●	●	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●	●	●	●	●
Light Moments: Indirect lighting in the bathroom with illuminated shower panel	—	●	●	●	●	●
Light Moments: Indirect wall surface ambient lighting	●	●	●	●	●	●
Light Moments: illuminated kitchen splashback	●	●	●	●	●	●
Number of sockets 1x 12V, 8x 230V, 4x USB	●	●	●	●	●	●
On-board control panel	●	●	●	●	●	●
Pre-wiring for solar	●	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●	●
<b>Water supply</b>						
Fresh water tank in insulated and heated area	●	●	●	●	●	●
Insulated waste water tank	●	●	●	●	●	●
Submersible pump	●	●	●	●	●	●
<b>Gas supply</b>						
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●	●	●	●	●
<b>Safety</b>						
Smoke detector	●	●	●	●	●	●

# PACKAGES TREND

## LOW PROFILE

Package	Winter Comfort Package ALDE T (13736)	Winter Comfort Package ALDE T (13736)	Winter Comfort Package ALDE T (13736)
Switch for water pump	x	x	x
Insulated under-floor pipes	x	x	x
Insulated waste water tank	x	x	x
Waste water tank and pipes electrically heated	x	x	x
Hot-water carpet for the driver's cab	x	x	x
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	x	x	
XPS insulation	x		
XPS insulation		x	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel			x
XPS insulation			x
Additional weight (kg)*	65.7	67.2	69.2

Package	Winter Comfort Package hot air heating (13735)	Winter Comfort Package hot air heating (13735)	Winter Comfort Package hot air heating (13735)
Switch for water pump	x	x	x
Insulated under-floor pipes	x	x	x
Insulated waste water tank	x	x	x
Waste water tank and pipes electrically heated	x	x	x
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	x	x	x
XPS insulation	x		
XPS insulation		x	
XPS insulation			x
Additional weight (kg)*	23.2	24.7	25.7

Chassis Package (14476)			
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console			
Electric parking brake			
Full LED low beam			
Additional weight (kg)*			-9.1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

### Assistance ACC Package Fiat (15117)

Adaptive Cruise Control (ACC), > 30 km/h  
Rain and light sensor with automatic dimming  
Emergency Brake Assist with pedestrian detection  
Lane Keep Assist  
Traffic Sign Assist  
Attention Assist  
Intelligent speed assistant

Additional weight (kg)*	0.5
-------------------------	-----

### Assistance Package Fiat (14477)

Rain and light sensor with automatic dimming  
Emergency Brake Assist with pedestrian detection  
Lane Keep Assist  
Traffic Sign Assist  
Attention Assist  
Intelligent speed assistant

Additional weight (kg)*	0.5
-------------------------	-----

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

## Optional equipment\*\*

Included in package	Additional weight (kg)*	Code	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
---------------------	-------------------------	------	-----------	-----------	--------	-----------	------------	------------

Fiat chassis								
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	—	60	140A	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	—	60	180A	○	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission <sup>11) 12)</sup>	—	60	M180A	○	○	○	○	○
Weight upgrade								
Weight upgrade 3,650 kg <sup>2)</sup>	—	0	10769	○	○	○	○	○
Fiat chassis features								
5th seat with seat belt <sup>8)</sup>	—	14.5	435	—	—	○	○	—
Rear corner steadies (2 pieces)	—	6	390	○	○	○	○	○
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	62	273	○	—	—	—	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	65	273	—	○	○	—	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	66	273	—	—	—	○	○
Exterior features								
Bike rack for 3 bikes (lowerable)	—	20.7	7482	○	○	○	○	○
Bike rack for 3 bikes (rear)	—	10.5	938	○	○	○	○	○
Double floor in rear garage	—	12	1890	—	○	—	○	○
Double floor in rear garage	—	13	1890	—	—	○	—	—
Double floor in rear garage	—	10	1890	○	—	—	—	—
Omnistor Cassette awning 3.5 m (manual)	—	28.8	931	○	—	—	—	—
Omnistor cassette awning 4.0 m (manual)	—	34	859	—	○	○	—	—
Omnistor cassette awning 4.5 m (manual)	—	38	930	—	—	—	○	○
Roof vent with fan <sup>13)</sup>	—	1.5	7507	○	○	○	○	○
Textile equipment								
Carpet, loose	—	5.4	851	○	—	—	—	—
Carpet, loose	—	5.9	851	—	○	—	—	—
Carpet, loose	—	5.3	851	—	—	○	—	—
Carpet, loose	—	6.8	851	—	—	—	○	—
Carpet, loose	—	8.3	851	—	—	—	—	○
Carpet, loose	—	7.3	851	—	—	—	—	○
Furniture layouts								
Bed convert for seating lounge transverse	—	5.5	1944	—	—	○	—	—
Bed convert for seating lounge transverse	—	7	1944	—	○	—	—	—
Bed convert for seating lounge transverse	—	8	1944	—	—	—	○	—
Bed convert for seating lounge transverse	—	5	1944	—	—	—	—	○
Electric pull-down bed across the seating unit <sup>14)</sup>	—	65	13738	—	○	—	○	—
Electric pull-down bed across the seating unit <sup>14)</sup>	—	68	13738	—	—	○	—	—
Electric pull-down bed across the seating unit <sup>14)</sup>	—	71	13738	—	—	—	—	○
Electric single pull-down bed above the seating area <sup>14)</sup>	—	45	13738	○	—	—	—	—
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	○	○	○	○	—
Low single-beds for comfortable access and high headroom	—	-13	510	○	○	—	—	—
Low single-beds for comfortable access and high headroom	—	-10.5	510	—	—	—	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL	
Makeshift bed	—	7	339	○	—	—	—	—	—	
<b>Multimedia</b>										
5G WLAN router incl. 4x4 roof antenna	—	1.5	14899	○	○	○	○	○	○	
5G Wi-Fi router incl. 4x4 roof antenna with flat screen 22' HD TV incl. flat screen bracket	—	7	15164	○	○	○	○	○	○	
5G Wi-Fi router incl. 4x4 roof antenna with flat screen 32' HD TV incl. flat screen bracket	—	10	15165	○	○	○	○	○	○	
Automatic HD satellite system 65 Twin with 22' HD TV flat screen incl. flat screen bracket	—	16.5	15161	○	○	○	○	○	○	
Automatic HD satellite system 65 Twin with 32' HD TV flat screen incl. flat screen bracket	—	19.5	15163	○	○	○	○	○	○	
Second rear view camera in rear moulding	—	1	11541	○	○	○	○	○	○	
<b>Heating</b>										
Floor heating electric (partial) <sup>16)</sup>	—	5	763	○	○	○	○	○	○	
Hot-water carpet for the driver's cab <sup>15)</sup>	WI-KO	3.5	6709	○	○	○	○	○	○	
Hot-water floor heating <sup>15)</sup>	—	11	1603	○	○	○	○	○	○	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	40	761	○	○	○	—	—	—	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	41	761	—	—	—	○	○	○	
<b>Electrical installation</b>										
2nd Leisure battery Dual Battery System (Lithium), 140 Ah <sup>6)</sup>	—	19	13968	○	○	○	○	○	○	
Second leisure battery AGM, 95 Ah <sup>6)</sup>	—	27	830	○	○	○	○	○	○	
Solar power system 100 watt	—	12.6	922	○	○	○	○	○	○	
<b>Water supply</b>										
Outdoor shower (cold water)	—	0.5	793	○	○	○	○	○	○	
Switch for water pump	WI-KO	0.2	397	○	○	○	○	○	○	
<b>Gas supply</b>										
Automatic gas cylinder switchover incl. crash sensor and EisEx	—	2.5	1577	○	○	○	○	○	○	
Outdoor gas socket gas pressure 30 mbar	—	1.3	878	○	○	○	○	○	○	
<b>Safety</b>										
2 kg fire extinguisher	—	4	1878	○	○	○	○	○	○	
Safe	—	4.7	13739	○	○	○	○	○	○	
<b>Packages</b>										
Assistance ACC Package Fiat	—	0.5	15117	○	○	○	○	○	○	
Assistance Package Fiat	—	0.5	14477	○	○	○	○	○	○	
Chassis Package	—	-9.1	14476	○	○	○	○	○	○	
Winter Comfort Package ALDE T	—	65.7	13736	○	—	—	—	—	—	
Winter Comfort Package ALDE T	—	67.2	13736	—	○	○	—	—	—	
Winter Comfort Package ALDE T	—	69.2	13736	—	—	—	○	○	○	
Winter Comfort Package hot air heating	—	23.2	13735	○	—	—	—	—	—	
Winter Comfort Package hot air heating	—	24.7	13735	—	○	○	—	—	—	
Winter Comfort Package hot air heating	—	25.7	13735	—	—	—	○	○	○	
<b>Miscellaneous</b>										
Registration documents (CoC papers)	—	0	15152	◆	◆	◆	◆	◆	◆	

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Trend A Class



Dethleffs' best-selling model has been completely refreshed: with its modern look, extensive standard specification and clever new functions, the Trend is the undisputed winner when it comes to value for money. A standout comfort feature is the level IsoProtect living room floor, running seamlessly from the cab to the bathroom. And in the Trend A Class, a large pull-down bed above the cab comes as standard – providing two comfy berths that take up no space during the day.

## Technical info

Overall length, approx.	670 - 740 cm
Overall width, approx.	233 cm
Overall height, approx.	300 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Heron (partial textile-leather)

## Wood décor



+ Wood décor Ashton

## Plus factors

- + Lifetime Smart superstructure - with wood-free, GRP-clad underbody
- + Exclusive rear design with top-entry rear wall, ShapeLine LED tail lights and 3rd brake light integrated into the rear spoiler
- + Large rear garage can be loaded on both sides, one-hand operation of the garage doors, lighting, 230 V socket and sturdy lashing rails
- + 70 cm wide habitation door with convenient coupe entrance
- + Level Iso-Protect comfort flooring in the living area without landings or steps
- + New overhead locker concept with handleless fronts and large storage volume incl. AirPlus overhead locker rear ventilation
- + Pull-down bed in the cab as standard
- + Sleeping area: Outstanding sleeping comfort with 150 mm thick Evopore cold foam mattresses
- + 10-year tightness guarantee!



# Trend A Class

## Technical info



Trend A Class		I 6617 EB	I 6817 EB	I 6877
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e/6e-bis	Euro 6e/6e-bis	Euro 6e/6e-bis
Overall length, approx.	cm	670	699	699
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	300 <sup>1)</sup>	300 <sup>1)</sup>	300 <sup>1)</sup>
Headroom in living area, approx.	cm	205	205	205
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3800	3800	3800
Bed dimension: Front bed, L x W, approx.	cm	196 x 150	196 x 150	196 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	—	—	210 x 118 - 80 ○
Bed dimension: Rear bed, L x W, approx.	cm	212 x 80 / 201 x 80 / 211 x 144	207 x 80 / 194 x 80 / 211 x 192	212 x 162
Sleeping berths standard / max.		4	4	4 / 5 ○
Mass in running order (+/-5%)*	kg	2914 (2768 to 3060)*	2939 (2792 to 3086)*	2982 (2833 to 3131)*
Manufacturer-specified mass for optional equipment*	kg	245	217	174
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20
Measurement storage opening right (W x H)	cm	75 x 75 ○ / 75 x 110	85 x 65 ○ / 85 x 110	85 x 110
Measurement storage opening left (W x H)	cm	40 x 75 ○ / 40 x 110	85 x 65 ○ / 85 x 110	85 x 110



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Trend A Class

## Technical info



Trend A Class		I 7057 EB	I 7057 DBL	I 7057 EBL
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e/6e-bis	Euro 6e/6e-bis	Euro 6e/6e-bis
Overall length, approx.	cm	740	740	740
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	300 <sup>1)</sup>	300 <sup>1)</sup>	300 <sup>1)</sup>
Headroom in living area, approx.	cm	205	205	205
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	196 x 150	196 x 150	196 x 150
Bed dimension: Central / middle bed, L x W, approx.	cm	210 x 118 - 80 ○	—	—
Bed dimension: Rear bed, L x W, approx.	cm	214 x 80 / 212 x 80 / 211 x 201	195 x 150	211 x 80 / 207 x 80 / 211 x 198
Sleeping berths standard / max.		4 / 5 ○	4	4
Mass in running order (+/-5%)*	kg	3069 (2916 to 3222)*	3063 (2910 to 3216)*	3071 (2917 to 3225)*
Manufacturer-specified mass for optional equipment*	kg	83	89	81
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4 - 5 ○	4	4
Refrigerator volume (thereof freezer), approx.	l	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20
Measurement storage opening right (W x H)	cm	90 x 75 ○ / 90 x 110	90 x 110	90 x 75 ○ / 90 x 110
Measurement storage opening left (W x H)	cm	90 x 75 ○ / 90 x 110	90 x 110	90 x 75 ○ / 90 x 110

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

	I 6617 EB	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
<b>Fiat chassis</b>						
Alloy wheel Fiat 16 "	●	●	●	●	●	●
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	●	●	●	●	●	●
Right-hand drive chassis	●	●	●	●	●	●
<b>Fiat chassis features</b>						
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●	●	●	●
Anti-theft device	●	●	●	●	●	●
Automatic Brake Assist after a collision	●	●	●	●	●	●
Captain seats: integrated headrests, two armrests, swivel function	●	●	●	●	●	●
Chassis in right-hand drive version	●	●	●	●	●	●
Crosswind Assist	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●
Cup holder in the centre of the dashboard	●	●	●	●	●	●
Dashboard with aluminium application	●	●	●	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●	●	●	●
Driver and passenger airbags	●	●	●	●	●	●
Driver and passenger detection	●	●	●	●	●	●
Driver's cab manual A/C	●	●	●	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●	●	●	●
Front-wheel drive	●	●	●	●	●	●
GRP lightweight leaf spring	●	●	●	●	●	●
Height and tilt adjustable incl. two padded armrests for the driver and front passenger seat	●	●	●	●	●	●
Leather steering wheel and gear knob with leather sleeve	●	●	●	●	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●	●	●	●	●
Pleated blinds in the windscreen and side windows of the drive's cab for the best insulation and privacy	●	●	●	●	●	●
Right-hand drive with exhaust on the left side	●	●	●	●	●	●
Steering wheel with control elements	●	●	●	●	●	●
Trailer Stability Assist	●	●	●	●	●	●
Tyre inflation kit and towing eye	●	●	●	●	●	●
Tyres M+S Camping (with snowflake)	●	●	●	●	●	●
Widened rear axle	●	●	●	●	●	●
<b>Exterior features</b>						
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall	●	●	●	●	●	●
70 cm wide habitation door	●	●	●	●	●	●
Bedroom windows right and left with blackout & mosquito screen	●	●	●	●	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●	●	●	●	●	●
Driver's cab door left	●	●	●	●	●	●
EPS insulation	●	●	●	●	●	●
Exterior design GT (rear light moulding with black diffuser, extended stickers, skidplate "red")	●	●	●	●	●	●
Flat, insulated Iso-Protect comfort functional floor with a large storage compartment in the living area	●	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●	●
Flyscreen habitation door	●	●	●	●	●	●
GRP roof	●	●	●	●	●	●
Habitation access with comfortable coupe entrance	●	●	●	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●	●	●	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●	●	●	●	●	●
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	●	●	●	●	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●	●	●	●	●
Panoramic skylight 75x105 cm in the lounge	●	●	●	●	●	●
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	●	●	●	●	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●	●	●	●	●
Skylight 40 x 40 cm above rear bed	●	●	●	●	●	●

# Standard equipment

	I 6617 EB	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
Skylight 40 x 40 cm above the kitchen and rear bed	●	●	●	●	●	●
<b>Exterior design</b>						
Exterior body painted in white	●	●	●	●	●	●
<b>Interior design</b>						
Upholstery Heron (partial textile-leather)	●	●	●	●	●	●
Wood décor Ashton	●	●	●	●	●	●
<b>Textile equipment</b>						
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●	●
<b>Furniture layouts</b>						
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●	●	●
Comfortable lounge seating group with 2 folding seats incl. 3-point belts incl. Isofix and free-standing, rigid table base	—	—	—	—	●	●
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	●	●	●	●	—	—
Double bed high in the rear, transverse	—	—	●	—	—	—
Floor-to-ceiling closet with pull-out step for convenient access to the bed	—	—	●	—	—	—
Floor-to-ceiling wooden sliding door to the bedroom	—	—	—	●	●	●
Height-adjustable double bed	—	—	—	—	●	—
High-level single beds incl. comfortable access via steps	●	●	—	●	—	●
Manual pull-down bed in the driver's cab	●	●	●	●	●	●
Modern entrance shelf with practical entry handle, storage compartments and tensioning straps	—	●	●	●	●	●
Multifunctional storage space underneath the double bed incl. wardrobe, accessible from inside and outside, illuminated, bed frame adjustable	—	—	●	—	—	—
Option to convert single bed to double bed	●	●	—	●	—	●
Overhead locker doors with soft-close function	●	●	●	●	●	●
Overhead lockers in the rear area	●	●	—	●	—	●
Two practical tension nets under the overhead locker in the rear bed	●	●	●	●	●	●
Two practical tension nets under the overhead locker in the rear bed	●	●	●	●	●	●
Wardrobe to the left and right of the queen-size bed	—	—	—	—	●	—
<b>Kitchen</b>						
Fridge (137 l)	●	●	●	●	●	●
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●	●	●	●	●
Kitchen backsplash with spice rule	●	●	●	●	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●	●	●	●	●
Oven in the kitchen floor units	—	●	●	●	—	—
Oven in the kitchen floor units	●	—	—	—	●	●
<b>Bathroom</b>						
Comfort bathroom with separable shower	—	●	●	—	—	—
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	—	—	—	●	●	●
Shower grate	●	●	●	●	●	●
Toilet room with practical swivelling wall incl. shower fitting and large washbasin	●	—	—	—	—	—
Window in bathroom	—	●	●	●	●	●
<b>Multimedia</b>						
DAB+ radio antenna mounted on the roof	●	●	●	●	●	●
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	●	●	●	●	●	●
Flat-screen TV bracket	●	●	●	●	●	●
Integrated single-lens rear view camera	●	●	●	●	●	●
Pre-wiring for satellite system	●	●	●	●	●	●
Preparation for radio system incl. sound package in the driver's cabin	●	●	●	●	●	●
<b>Heating</b>						
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	●	●	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●	●	●

# Standard equipment

	I 6617 EB	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
<b>Air Conditioning</b>						
Pre-wiring for roof A/C	●	●	●	●	●	●
<b>Electrical installation</b>						
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●	●	●	●	●
Awning light 12 V	●	●	●	●	●	●
EBL with separate FI protection switch	●	●	●	●	●	●
Functional lighting (surface-mounted and recessed spotlights)	●	●	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●	●	●
Light Moments: Clad seat chest side with indirect lighting	●	●	●	●	—	—
Light Moments: Entrance segment with indirect lighting	—	●	●	●	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●	●	●	●	●
Light Moments: Indirect lighting in the bathroom with illuminated shower panel	—	●	●	●	●	●
Light Moments: Indirect wall surface ambient lighting	●	●	●	●	●	●
Light Moments: illuminated kitchen splashback	●	●	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 4x USB	●	●	●	●	●	●
On-board control panel	●	●	●	●	●	●
Pre-wiring for solar	●	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●	●
<b>Water supply</b>						
Fresh water tank in insulated and heated area	●	●	●	●	●	●
Insulated waste water tank	●	●	●	●	●	●
Submersible pump	●	●	●	●	●	●
<b>Gas supply</b>						
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●	●	●	●	●
<b>Safety</b>						
Smoke detector	●	●	●	●	●	●

# PACKAGES TREND A CLASS

Package	Winter Comfort Package ALDE (13736)	Winter Comfort Package ALDE (13736)	Winter Comfort Package ALDE (13736)
Switch for water pump	x	x	x
Insulated under-floor pipes	x	x	x
Insulated waste water tank	x	x	x
Waste water tank and pipes electrically heated	x	x	x
Hot-water carpet for the driver's cab	x	x	x
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	x	x	
XPS insulation	x		
XPS insulation		x	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel			x
XPS insulation			x
Additional weight (kg)*	66.7	68.7	75.7

Package	Winter Comfort Package hot air heating (13735)	Winter Comfort Package hot air heating (13735)	Winter Comfort Package hot air heating (13735)
Switch for water pump	x	x	x
Insulated under-floor pipes	x	x	x
Insulated waste water tank	x	x	x
Waste water tank and pipes electrically heated	x	x	x
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	x	x	x
XPS insulation	x		
XPS insulation		x	
XPS insulation			x
Additional weight (kg)*	24.2	26.2	27.2

Chassis Package (14582)			
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console			
Electric parking brake			
LED daytime running lights			
Additional weight (kg)*			-8.1

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	I 6617 EB	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
<b>Fiat chassis</b>									
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	—	60	140A	○	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	—	60	180A	○	○	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission <sup>11) 12)</sup>	—	60	M180A	○	○	○	○	○	○
<b>Weight upgrade</b>									
Weight upgrade 3,650 kg <sup>2)</sup>	—	0	10769	○	○	○	○	○	○
<b>Fiat chassis features</b>									
5th seat with seat belt <sup>8)</sup>	—	14.5	435	—	—	○	○	—	—
Rear corner steadies (2 pieces)	—	6	390	○	○	○	○	○	○
Reinforced spring for front axle	—	3.75	1889	○	○	○	○	○	○
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	62	273	○	—	—	—	—	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	65	273	—	○	○	—	—	—
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	—	66	273	—	—	—	○	○	○
<b>Exterior features</b>									
Bike rack for 3 bikes (lowerable)	—	20.7	7482	○	○	○	○	○	○
Bike rack for 3 bikes (rear)	—	10.5	938	○	○	○	○	○	○
Double floor in rear garage	—	12	1890	—	—	—	○	○	○
Double floor in rear garage	—	13	1890	—	○	○	—	—	—
Double floor in rear garage	—	10	1890	○	—	—	—	—	—
Omnistor cassette awning 4.0 m (manual)	—	34	859	○	—	—	—	—	—
Omnistor cassette awning 4.5 m (manual)	—	38	930	—	○	○	—	—	—
Omnistor cassette awning 5.0 m (manual)	—	40	697	—	—	—	○	○	○
Roof vent with fan <sup>13)</sup>	—	1.5	7507	○	○	○	○	○	○
<b>Textile equipment</b>									
Carpet, loose	—	5.7	851	○	—	—	—	—	—
Carpet, loose	—	6.2	851	—	○	—	—	—	—
Carpet, loose	—	5.5	851	—	—	○	—	—	—
Carpet, loose	—	7.1	851	—	—	—	○	—	—
Carpet, loose	—	8.5	851	—	—	—	—	○	—
Carpet, loose	—	7.5	851	—	—	—	—	—	○
<b>Furniture layouts</b>									
Bed convert for seating lounge transverse	—	7	1944	—	○	—	—	—	—
Bed convert for seating lounge transverse	—	5.5	1944	—	—	○	—	—	—
Bed convert for seating lounge transverse	—	8	1944	—	—	—	○	—	—
Bed convert for seating lounge transverse	—	5	1944	—	—	—	—	○	○
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	○	○	○	○	—	—
Low single-beds for comfortable access and high headroom	—	-13	510	○	○	—	—	—	—
Low single-beds for comfortable access and high headroom	—	-10.5	510	—	—	—	○	—	○
Overhead lockers in the driver's cab instead of pull-down bed	—	-42	679	○	○	○	○	○	○
<b>Multimedia</b>									



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	I 6617 EB	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
5G WLAN router incl. 4x4 roof antenna	—	1.5	14899	○	○	○	○	○	○
5G Wi-Fi router incl. 4x4 roof antenna with flat screen 22' HD TV incl. flat screen bracket	—	7	15164	○	○	○	○	○	○
5G Wi-Fi router incl. 4x4 roof antenna with flat screen 32' HD TV incl. flat screen bracket	—	10	15165	○	○	○	○	○	○
Automatic HD satellite system 65 Twin with 22' HD TV flat screen incl. flat screen bracket	—	16.5	15161	○	○	○	○	○	○
Automatic HD satellite system 65 Twin with 32' HD TV flat screen incl. flat screen bracket	—	19.5	15163	○	○	○	○	○	○
Second rear view camera in rear moulding	—	1	11541	○	○	○	○	○	○
<b>Heating</b>									
Floor heating electric (partial) <sup>16)</sup>	—	5	763	○	○	○	○	○	○
Heat exchanger for hot-water heating <sup>15)</sup>	—	7.5	565	○	○	○	○	○	○
Hot-water carpet for the driver's cab <sup>15)</sup>	WI-KO	3.5	6709	○	○	○	○	○	○
Hot-water floor heating <sup>15)</sup>	—	11	1603	○	○	○	○	○	○
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	40	761	○	○	○	—	—	—
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	46	761	—	—	—	○	○	○
<b>Electrical installation</b>									
2nd Leisure battery Dual Battery System (Lithium), 140 Ah <sup>6)</sup>	—	19	13968	○	○	○	○	○	○
Second leisure battery AGM, 95 Ah <sup>6)</sup>	—	27	830	○	○	○	○	○	○
Solar power system 100 watt	—	12.6	922	○	○	○	○	○	○
<b>Water supply</b>									
Outdoor shower (cold water)	—	0.5	793	○	○	○	○	○	○
Switch for water pump	WI-KO	0.2	397	○	○	○	○	○	○
<b>Gas supply</b>									
Automatic gas cylinder switchover incl. crash sensor and EisEx	—	2.5	1577	○	○	○	○	○	○
Outdoor gas socket gas pressure 30 mbar	—	1.3	878	○	○	○	○	○	○
<b>Safety</b>									
2 kg fire extinguisher	—	4	1878	○	○	○	○	○	○
Safe	—	4.7	13739	○	○	○	○	○	○
<b>Packages</b>									
Chassis Package	—	-8.1	14582	○	○	○	○	○	○
Winter Comfort Package ALDE	—	66.7	13736	○	—	—	—	—	—
Winter Comfort Package ALDE	—	68.7	13736	—	○	○	—	—	—
Winter Comfort Package ALDE	—	75.7	13736	—	—	—	○	○	○
Winter Comfort Package hot air heating	—	24.2	13735	○	—	—	—	—	—
Winter Comfort Package hot air heating	—	26.2	13735	—	○	○	—	—	—
Winter Comfort Package hot air heating	—	27.2	13735	—	—	—	○	○	○
<b>Miscellaneous</b>									
Registration documents (CoC papers)	—	0	15152	◆	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Esprit A Class



The Esprit combines a modern design in the Nordic style with outstanding premium-class comfort. Its heated double floor houses a frost-proof water system and ensures that the Esprit is your winterproof, year-round companion. The floor cavity is 26 cm high and thus offers useful additional storage space.

## Technical info

Overall length, approx.	779 cm
Overall width, approx.	232 cm
Overall height, approx.	298 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Kari



+ Upholstery Nubia

○



+ Rubino real leather upholstery

○



+ Real leather individual

○

## Wood décor




+ Wood décor Noce Nagano

○ optionally available

## Plus factors

- + 180 hp (136 kW) Multijet engine, 8-speed torque converter automatic transmission, automatic climate control, multifunction leather steering wheel and much more
- + Ideal driving characteristics: Premium low platform chassis with 145 mm lowering and up to 4.5 t gross vehicle weight
- + Absolute winter resistance due to heated raised floor with installation laid frost-protected
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- + Spacious rear garage, with doors on both sides, 250 kg surface load, anti-slip floor covering, fleece lining, lashing rails, lighting as well as one-hand operation and 2-point locking system
- + Gourmet kitchen with 3-burner stove, generous drawers with soft-close retraction and central locking, cutting board, apothecary pull-out, and much more.
- + Large, comfortable pull-down bed with 200 x 150 cm lying surface, high-quality cold foam mattress and wooden slatted frame. Electrically operated
- + 10-year tightness guarantee!



# Esprit A Class

## Technical info



Esprit A Class		I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform
Standard engine		180 Multijet 3 Power	180 Multijet 3 Power	180 Multijet 3 Power	180 Multijet 3 Power
kW (bhp)		132 (180)	132 (180)	132 (180)	132 (180)
Emission standards		Euro VI-E	Euro VI-E	Euro VI-E	Euro VI-E
Overall length, approx.	cm	779	779	779	779
Overall width, approx.	cm	232	232	232	232
Overall height, approx.	cm	298 <sup>1)</sup>	298 <sup>1)</sup>	298 <sup>1)</sup>	298 <sup>1)</sup>
Headroom in living area, approx.	cm	205	205	205	205
Towable load braked/ unbraked	kg	1750 / 750	1750 / 750	1750 / 750	1750 / 750
Wheelbase, approx.	mm	4500	4500	4500	4500
Bed dimension: Front bed, L x W, approx.	cm	200 x 150	200 x 150	200 x 150	200 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 123 - 88 ○	—	206 x 123 - 88 ○	—
Bed dimension: Rear bed, L x W, approx.	cm	215 x 80 / 220 x 80 / 210 x 200 - 193	215 x 80 / 220 x 80 / 210 x 200 - 193	200 x 160	200 x 160
Sleeping berths standard / max.		4 / 5 ○	4	4 / 5 ○	4
Mass in running order (+/-5%)*	kg	3529 (3353 to 3705)*	3561 (3383 to 3739)*	3531 (3354 to 3708)*	3562 (3384 to 3740)*
Manufacturer-specified mass for optional equipment*	kg	370	338	368	337
Technically permissible maximum laden mass*	kg	4250	4250	4250	4250
Permitted number of seats (including driver)*		4 - 5 ○	4	4 - 5 ○	4
Refrigerator volume (thereof freezer), approx.	l	177 (35)	177 (35)	177 (35)	177 (35)



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Esprit A Class Technical info



Esprit A Class		I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
Waste water tank, approx.	l	156	156	156	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	166 / 20	166 / 20	166 / 20	166 / 20
Measurement storage opening right (W x H)	cm	100 x 80 ○ / 100 x 110	100 x 80 ○ / 100 x 110	100 x 105	100 x 105
Measurement storage opening left (W x H)	cm	100 x 80 ○ / 100 x 110	100 x 80 ○ / 100 x 110	100 x 105	100 x 105

○ Optional equipment   — Not possible   ● Standard equipment   ◆ Mandatory   △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
-------------	--------------	--------------	--------------

Fiat chassis			
Alloy wheel Fiat 16 "	●	●	●
Fiat Ducato Maxi ALKO low platform wide-track rear axle (4,250 kg) Multijet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	●	●	●
Right-hand drive chassis	●	●	●
Fiat chassis features			
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●
Additional protection for radiator through grille at front of vehicle	●	●	●
Anti-theft device	●	●	●
Automatic Brake Assist after a collision	●	●	●
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	●	●	●
Captain seat with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests	●	●	●
Chassis in right-hand drive version	●	●	●
Crosswind Assist	●	●	●
Cruise control	●	●	●
Cup holder in the centre of the dashboard	●	●	●
Dashboard with aluminium application	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●
Driver and passenger airbags	●	●	●
Driver and passenger detection	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●
Electric windscreen blinds	●	●	●
Front-wheel drive	●	●	●
LED daytime running lights	●	●	●
Leather steering wheel and gear knob withleather sleeve	●	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●	●
Rear corner steadies (2 pieces)	●	●	●
Right-hand drive with exhaust on the left side	●	●	●
Steering wheel with control elements	●	●	●
Trailer Stability Assist	●	●	●
Tyre inflation kit and towing eye	●	●	●
Tyres M+S Camping (with snowflake)	●	●	●
Exterior features			
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall	●	●	●
70 cm wide habitation door with window and blind	●	●	●
Bedroom windows right and left with blackout & mosquito screen	●	●	●
Central locking for the drive's cab, habitation and garage door	●	●	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●	●	●
Driver's cab door left	●	●	●
Electric closing aid for habitation door	●	●	●
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●
Flyscreen habitation door	●	●	●
GRP roof	●	●	●
Habitation access with comfortable coupe entrance	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●	●
Panoramic skylight 75x105 cm above the seating lounge	●	●	●
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●	●	●
Side panels and rear panel in smooth aluminium sheets	●	●	●
Skylight 40 x 40 cm above rear bed	●	●	●

# Standard equipment

I 7150-2 EB  
I 7150-2 EBL  
I 7150-2 DBM  
I 7150-2 DBL

	I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
<b>Exterior design</b>				
Exterior body painted in white	●	●	●	●
<b>Interior design</b>				
Upholstery Kari	●	●	●	●
Wood décor Noce Nagano	●	●	●	●
<b>Textile equipment</b>				
Carpet, loose	—	—	●	—
Carpet, loose	—	●	—	—
Carpet, loose	—	—	—	●
Carpet, loose	●	—	—	—
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●
<b>Furniture layouts</b>				
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	●	—	●	—
Cosy lounge seating group with free-standing, rigid table base	—	●	—	●
Double bed high	—	—	●	●
Electric pull-down bed in the driver's cab	●	●	●	●
Floor-to-ceiling wooden sliding door to the bedroom	●	●	●	●
High-level single beds incl. comfortable access via steps	●	●	—	—
No steps in living room	●	●	●	●
Option to convert single beds to double bed	●	●	—	—
Overhead locker doors with soft-close function	●	●	●	●
Overhead lockers in the rear area	●	●	—	—
Shoe cabinet in entrance area	●	●	●	●
Wardrobe to the left and right of the queen-size bed	●	●	●	●
<b>Kitchen</b>				
Extractor fan (extracted air) with draught stopper	●	●	●	●
Fridge (177 l), can be opened on both sides, with integrated oven	●	●	●	●
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	●	●	●	●
<b>Bathroom</b>				
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●	●	●
Shower grate	—	●	—	●
Shower grate	●	—	●	—
Shower panel and bathroom accessories in black	●	●	●	●
Window in bathroom	●	●	●	●
<b>Multimedia</b>				
DAB+ radio antenna mounted on the roof	●	●	●	●
Flat-screen TV bracket	●	●	●	●
Integrated single-lens rear view camera	●	●	●	●
Pre-wiring for satellite system	●	●	●	●
Pre-wiring for second rear view camera	●	●	●	●
Preparation for radio system incl. sound package in the driver's cabin	●	●	●	●
<b>Heating</b>				
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●
<b>Air Conditioning</b>				
Pre-wiring for roof A/C	●	●	●	●
<b>Electrical installation</b>				
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●	●	●
Awning light 12 V	●	●	●	●

# Standard equipment

	I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
EBL with separate FI protection switch	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●
Light Moments: Continuous canopy with indirect lighting	●	●	●	●
Light Moments: Illuminated entrance handle	●	●	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●	●	●
Light Moments: Indirect dimmable wall surface ambient lighting	●	●	●	●
Light Moments: Indirect lighting in the bathroom with illuminated shower panel	●	●	●	●
Light Moments: illuminated kitchen splashback	●	●	●	●
Light Moments: plinth lighting throughout the vehicle	●	●	●	●
Luxus on-board control panel	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 2x USB	●	●	●	●
Pre-wiring for solar	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●
<b>Water supply</b>				
Pressurized water pump system	●	●	●	●
Switch for water pump	●	●	●	●
<b>Gas supply</b>				
Automatic gas cylinder switchover incl. crash sensor and EisEx	●	●	●	●
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●	●	●
<b>Safety</b>				
Smoke detector	●	●	●	●

# PACKAGES ESPRIT A CLASS

Package	Dual Battery System Package 1 (7488)	Dual Battery System Package 2 (7489)
Victron PowerAssist and PowerControl	x	x
Electric block EBL 102	x	x
Victron control panel above the habitation door	x	x
Victron Energy MultiPlus charging/inverter combination 1600W/70A	x	
168 Ah lithium battery	x	
Victron Energy MultiPlus charging/inverter combination 3000W/120A		x
336 Ah lithium battery		x
Additional weight (kg)*	63	113

Package	95 Years Package (EB/DBM) (15631)	95 Years Package (EBL/DBL) (15631)
LED low beam	x	x
Lateral sun shades, as a roller blind for driver and passenger	x	x
Panorama skylight 70 x 50 cm in the bedroom	x	x
Interior design GT incl. extended kitchen back panel	x	x
Exterior design GT Advance (rear light moulding with black diffuser, I-front paint partially black, radiator grille with chrome piping, skidplate "red")	x	x
High characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall.	x	x
Omnistor cassette awning 5.0 m (manual)	x	x
Automatic satellite system 85 Twin with 32" flat screen incl. flat screen bracket	x	x
Victron PowerAssist and PowerControl	x	x
Electric block EBL 102	x	x
Victron control panel above the habitation door	x	x
Victron Energy MultiPlus charging/inverter combination 1600W/70A	x	x
168 Ah lithium battery	x	x
Weight upgrade 4,500 kg	x	x
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	x	x
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	x	x
Heat exchanger for hot-water heating	x	x
ISOFIX child seat bracket for third and fourth seat facing direction of travel	x	
Additional weight (kg)*	199.85	195.85



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

## Esprit GT Package (14585)

LED low beam

Lateral sun shades, as a roller blind for driver and passenger

Panorama skylight 70 x 50 cm in the bedroom

Interior design GT incl. extended kitchen back panel

Exterior design GT Advance (rear light moulding with black diffuser, I-front paint partially black, radiator grille with chrome piping, skidplate "red")

High characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall.

Additional weight (kg)\*

15.7

△ Not known at the time of publication



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
<b>Weight upgrade</b>							
Weight upgrade 4,500 kg	95-P	0	1585	○	○	○	○
<b>Fiat chassis features</b>							
5th seat with seat belt <sup>8)</sup>	—	17	435	○	—	○	—
Hydraulic lifting jacks with automatic levelling and weighing function	—	70	9663	○	○	○	○
LED low beam	GT, 95-P	0.5	7152	○	○	○	○
Reinforced spring for front axle	—	3.75	1889	○	○	○	○
SKA captain seat with air suspension	—	20	7505	○	○	○	○
Seat heating and ventilation of the seat area <sup>17) 18)</sup>	—	0	11147	○	○	○	○
Tow bar (observe when operating trailers with a maximum authorised load)	—	30	273	○	○	○	○
<b>Exterior features</b>							
Bike rack for 3 bikes (lowerable)	—	20.7	7482	○	○	○	○
Bike rack for 3 bikes (rear)	—	10.5	938	○	○	○	○
Omnistor cassette awning 5.0 m (manual)	95-P	40	697	○	○	○	○
<b>Interior design</b>							
Real leather individual <sup>17) 19)</sup>	—	0	9785	○	○	○	○
Rubino real leather upholstery <sup>17)</sup>	—	0	10443	○	○	○	○
Upholstery Nubia	—	0	10442	○	○	○	○
<b>Furniture layouts</b>							
Bed construction seating group transverse incl. lowerable table base	—	15.3	1944	○	—	○	—
ISOFIX child seat bracket for third and fourth seat facing direction of travel	95-P	4	8125	○	—	○	—
Low single-beds for comfortable access and high headroom	—	20.5	510	○	○	—	—
Overhead lockers in the driver's cab instead of pull-down bed	—	-40	679	○	○	○	○
<b>Kitchen</b>							
Winter cover for refrigerator vents	—	0.3	282	○	○	○	○
<b>Bathroom</b>							
Ceramic toilet <sup>20)</sup>	—	9.1	7243	○	○	○	○
Macerator toilet with waste-holding tank	—	44	1625	○	○	○	○
<b>Multimedia</b>							
5G WLAN router incl. 4x4 roof antenna	—	1.5	14899	○	○	○	○
5G Wi-Fi router incl. 4x4 roof antenna with 22" flat screen incl. flat screen bracket	—	7	15169	○	○	○	○
5G Wi-Fi router incl. 4x4 roof antenna with 32" smart TV incl. flat screen bracket	—	11.5	15168	○	○	○	○
Additional 22" flat screen incl. flat screen bracket	—	5.5	15178	○	○	○	○
Automatic satellite system 85 Twin with 22" flat screen incl. flat screen bracket	—	21.5	15166	○	○	○	○
Automatic satellite system 85 Twin with 32" flat screen incl. flat screen bracket	95-P	26	15167	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto <sup>5)</sup>	95-P	3.65	9582	○	○	○	○
Second rear view camera in rear moulding	—	1	11541	○	○	○	○
Top View 360° HD camera <sup>21) 22)</sup>	—	4.5	7173	○	○	○	○
<b>Heating</b>							
Heat exchanger for hot-water heating <sup>15)</sup>	95-P	7.5	565	○	○	○	○
Hot-water carpet for the driver's cab <sup>15)</sup>	—	3.5	6709	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	95-P	40	761	○	○	○	○
<b>Air Conditioning</b>							
Roof A/C	—	38.5	609	○	○	○	○
<b>Electrical installation</b>							
Solar power system 100 watt	—	12.6	922	○	○	○	○
<b>Water supply</b>							
Outdoor shower installed in rear garage (hot/cold water)	—	2.4	1574	○	○	○	○
<b>Gas supply</b>							
Outdoor gas socket gas pressure 30 mbar	—	1.3	878	○	○	○	○
<b>Safety</b>							
2 kg fire extinguisher	—	4	1878	○	○	○	○
Alarm system (for door with central locking)	—	0.5	322	○	○	○	○
Safe	—	4.7	323	○	○	○	○
<b>Packages</b>							
95 Years Package (EB/DBM)	—	199.85	15631	○	—	○	—
95 Years Package (EBL/DBL)	—	195.85	15631	—	○	—	○
Dual Battery System Package 1 <sup>6)</sup>	—	63	7488	○	○	○	○
Dual Battery System Package 2 <sup>6)</sup>	—	113	7489	○	○	○	○
Esprit GT Package	—	15.7	14585	○	○	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory ▲ Not known at the time of publication

95-P 95 Years Package GT GT Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Alpa Coach built



The motorhome for adventurous couples. With a generous amount of space, a huge panoramic seating lounge and comfortable single beds in the coachbuilt model, this motorhome is ideal for couples who prefer to travel in comfort. Even icy temperatures will scarcely be noticed – this vehicle is completely winterproof thanks to the heated double floor and frost-protected water system.

## Technical info

Overall length, approx.	730 - 855 cm
Overall width, approx.	232 cm
Overall height, approx.	327 cm
Headroom in living area, approx.	209 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery




+ Upholstery Samir



+ Upholstery Melia

○



+ Real leather upholstery Collin ○



+ Real leather individual ○

## Wood décor




+ Wood décor Ashton

○ optionally available


## Plus factors

- + 180 hp (136 kW) Multijet engine, 8-speed torque converter automatic transmission, automatic climate control, LED daytime running lights, multifunction leather steering wheel and state-of-the-art driving assistance systems
- + Ideal driving characteristics: Premium low-frame chassis with 220 mm lowering and up to 4.8 t or 5.4 t permissible gross weight
- + Absolute winter resistance due to heated raised floor with installation laid frost-protected
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- + Huge panoramic round seating area with plenty of space to eat and linger
- + Comfortable lengthwise single beds with 195 x 80 cm and 205 x 80 cm lying area in the alcove incl. large access steps
- + 10-year tightness guarantee!



# Alpa Coach built

## Technical info



Alpa Coach built		A 6820-2	A 7820-2
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform 3-axle
Standard engine		180 Multijet 3 Power	180 Multijet 3 Power
kW (bhp)		132 (180)	132 (180)
Emission standards		Euro VI-E	Euro VI-E
Overall length, approx.	cm	730	855
Overall width, approx.	cm	232	232
Overall height, approx.	cm	327 <sup>1)</sup>	327 <sup>1)</sup>
Headroom in living area, approx.	cm	209	209
Towable load braked/unbraked	kg	1750 / 750	1800 / 750
Wheelbase, approx.	mm	4070	4600
Bed dimension alcove, L x W, approx.	cm	205 x 80 / 195 x 80 / 210 x 155	205 x 80 / 195 x 80 / 210 x 155
Bed dimension: Rear bed, L x W, approx.	cm	210 x 170	210 x 150
Sleeping berths standard / max.		4	4
Mass in running order (+/-5%)*	kg	3577 (3398 to 3756)*	4069 (3866 to 4272)*
Manufacturer-specified mass for optional equipment*	kg	877	572
Technically permissible maximum laden mass*	kg	4800	5000
Permitted number of seats (including driver)*		4	4
Refrigerator volume (thereof freezer), approx.	l	153 (29)	177 (35)
Waste water tank, approx.	l	137	137
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	140 / 20	140 / 20
Measurement storage opening right (W x H)	cm	95 x 105	105 x 105
Measurement storage opening left (W x H)	cm	95 x 105	105 x 105
Clear dimensions of rear garage door/flap (W x H)	cm	105 x 60 ○	105 x 60 ○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

A 6820-2

A 7820-2

Fiat chassis		
Alloy wheel FIAT 16", black (for 3-axle)	—	●
Fiat Ducato Maxi ALKO low platform (4,800 kg incl. air suspension rear axle, reinforced springs, aluminium rims) Multijet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	●	—
Fiat Ducato Maxi ALKO low platform 3-axle (5,000 kg) Multijet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	—	●
Right-hand drive chassis	●	●
Weight upgrade		
Single folding seats rear right and left incl. Isofix	●	—
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●
Anti-theft device	●	●
Automatic Brake Assist after a collision	●	●
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	●	●
Bench with 3-point seatbelts for seats facing away from driving direction incl. bed convert for seating lounge (1944)	—	●
Cab blackout blinds	●	●
Captain seats for driver and front passenger, swivel function	●	●
Chassis in right-hand drive version	●	●
Crosswind Assist	●	●
Cruise control	●	●
Cup holder in the centre of the dashboard	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●
Dashboard with aluminium application	●	●
Daytime running lights integrated into headlights	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●
Driver and passenger airbags	●	●
Driver and passenger detection	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●
Exterior colour chassis white	●	●
Fog lights incl. cornering light	●	●
Front-wheel drive	●	●
Full LED low beam	●	●
Height and tilt adjustment and double armrests for driver and passenger seat	●	●
Leather steering wheel and gear knob with leather sleeve	●	●
Padded double armrests, fabric cover	●	●
Painted front bumper in body colour incl. black skid plate	●	●
Preparation for radio system incl. loudspeakers in the driver's cabin	●	●
Rear corner steadies (2 pieces)	●	●
Right-hand drive with exhaust on the left side	●	●
Steering wheel with control elements	●	●
Trailer Stability Assist	●	●
Tyre inflation kit and towing eye	●	●
Tyres M+S Camping (with snowflake)	●	●
Exterior features		
70 cm wide living room door with window and blackout, electric closing aid and gas pressure damper as hold-open device	●	●
Central locking for the driver's cab, habitation and garage door	●	●
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler	●	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●	●
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●
Flyscreen habitation door	●	●
GRP roof	●	●
Habitation access with comfortable coupe entrance	●	●

# Standard equipment

	A 6820-2	A 7820-2
Habitation access with comfortable, wide, electric step	●	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●	●
Opening window in overcab right	●	●
Panoramic skylight 75x105 cm above U-shaped seating	—	●
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●	●
Side panels and rear panel in smooth aluminium sheets	●	●
Sky Roof (2 x panoramic skylight 70x50cm crossways) over the seating lounge in the rear	●	—
Sky roof (second panoramic skylight 75x105cm lengthwise over the seating lounge in the rear) incl. roof lining and lamp	—	●
<b>Exterior design</b>		
Exterior body painted in white	●	●
<b>Interior design</b>		
Upholstery Samir	●	●
Wood décor Ashton	●	●
<b>Textile equipment</b>		
Carpet, loose	—	●
Carpet, loose	●	—
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●
<b>Furniture layouts</b>		
AirPlus overhead locker rear ventilation to avoid condensation	●	●
Bed convert for seating lounge transverse	●	—
Bed convert for seating lounge transverse	—	●
Full body mirror	●	●
Overhead locker doors with soft-close function	●	●
Overhead lockers in the rear area	●	●
U-shaped seating in the lounge with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	—	●
U-shaped seating with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	●	—
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	—	●
<b>Kitchen</b>		
Extractor fan (extracted air) with draught stopper	●	●
Fridge (153 l), can be opened on both sides, with integrated oven	●	—
Fridge (177 l), can be opened on both sides, with integrated oven	—	●
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	●	●
Kitchen overhead locker with illuminated roof lining	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●
<b>Bathroom</b>		
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●
Shower grate	●	●
Shower panel and bathroom accessories in black	●	●
<b>Multimedia</b>		
Flat-screen TV bracket	●	●
Pre-wiring for satellite system	●	●
Pre-wiring for second rear view camera	●	●
Preparation for radio system incl. sound package in the driver's cabin	●	●
Rear view camera (single camera)	●	●
<b>Heating</b>		
Heating in the seating unit for optimum heat distribution, built-in	●	●
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	●	●
<b>Air Conditioning</b>		
Pre-wiring for roof A/C	●	●

# Standard equipment

A 6820-2

A 7820-2

Electrical installation		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●
Awning light 12 V	●	●
EBL with separate FI protection switch	●	●
LED lighting throughout the vehicle	●	●
Leisure battery AGM, 95 Ah	●	●
Light Moments: Illuminated wardrobe	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●
Light Moments: Indirect lighting in the bathroom with illuminated shower panel	●	●
Light Moments: Indirect wall surface ambient lighting	●	●
Light Moments: Pedestal lighting in the kitchen	●	●
Luxus on-board control panel	●	●
Number of sockets 1x 12V, 6x 230V, 2x USB	●	—
Number of sockets 1x 12V, 7x 230V, 2x USB	—	●
Pre-wiring for solar	●	●
Spotlights in the roof lining above the habitation door	●	●
Water supply		
Fresh water and waste water tanks installed in double floor (insulated area)	●	●
Pressurized water pump system	●	●
Switch for water pump	●	●
Gas supply		
Automatic gas cylinder switchover incl. crash sensor and EisEx	●	●
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●
Safety		
Smoke detector	●	●

# PACKAGES ALPA COACH BUILT

Package	GT Package ALPA A (13827)	GT Package Silver ALPA A (13828)
Styling Package (overcab design elements)	x	x
Panorama skylight 70 x 50 cm in the overcab	x	x
Exterior design GT (rear light moulding with black diffuser, skidplate "red")	x	x
High characteristic Dethleffs Exklusiv rear light carrier with ShapeLine LED taillights and 3rd brake light	x	x
Side panels in metallic titanium silver		x
Additional weight (kg)*	23.3	23.3

Package	Dual Battery System Package 2 (7489)	Dual Battery System Package 1 (7488)
Victron PowerAssist and PowerControl	x	x
Electric block EBL 102	x	x
Victron control panel above the habitation door	x	x
Victron Energy MultiPlus charging/inverter combination 3000W/120A	x	
336 Ah lithium battery	x	
Victron Energy MultiPlus charging/inverter combination 1600W/70A		x
168 Ah lithium battery		x
Additional weight (kg)*	113	63



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Package	95 Years Package A 6820-2 (15630)	95 Years Package A7820-2 (15630)
Styling Package (overcab design elements)	x	x
Panorama skylight 70 x 50 cm in the overcab	x	x
Exterior design GT (rear light moulding with black diffuser, skidplate "red")	x	x
High characteristic Dethleffs Exklusiv rear light carrier with ShapeLine LED taillights and 3rd brake light	x	x
Victron PowerAssist and PowerControl	x	x
Electric block EBL 102	x	x
Victron control panel above the habitation door	x	x
Victron Energy MultiPlus charging/inverter combination 1600W/70A	x	x
168 Ah lithium battery	x	x
Automatic satellite system 85 Twin with 32' TV (incl. bracket) incl. soundboard	x	x
Heat exchanger for hot-water heating	x	x
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	x	x
Omnistor cassette awning 5.0 m (electric)	x	
Omnistor cassette awning 6.0 m (electric)		x
Weight upgrade to 5,400 kg		x
Additional weight (kg)*	162.45	195.95

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	A 6820-2	A 7820-2
<b>Weight upgrade</b>					
Weight upgrade to 5,400 kg	95-P	3.5	7497	—	○
<b>Fiat chassis features</b>					
Hydraulic lifting jacks with automatic levelling and weighing function	—	70	9663	○	○
Tow bar (observe when operating trailers with a maximum authorised load)	—	30	273	○	○
<b>Exterior features</b>					
Double floor in rear garage	—	13	1890	—	○
Double floor in rear garage	—	12	1890	○	—
Omnistor cassette awning 5.0 m (electric)	95-P	40	428	○	—
Omnistor cassette awning 5.0 m (manual)	—	40	697	○	—
Omnistor cassette awning 6.0 m (electric)	95-P	70	519	—	○
Omnistor cassette awning 6.0 m (manual)	—	64	560	—	○
Opening window in overcab left	—	5	622	○	○
Roof vent with fan	—	1.5	7507	○	○
Storage access in the rear	—	9	1732	○	○
<b>Exterior design</b>					
Side panels in metallic titanium silver	GT	0	511	○	○
<b>Interior design</b>					
Real leather individual <sup>19)</sup>	—	0	9785	○	○
Real leather upholstery Collin	—	0	11952	○	○
Upholstery Melia	—	0	11950	○	○
<b>Bathroom</b>					
Ceramic toilet <sup>20)</sup>	—	9.1	7243	○	—
Macerator toilet with waste-holding tank	—	44	1625	○	○
Toilet ventilation via the roof <sup>20)</sup>	—	0.8	1681	○	○
<b>Multimedia</b>					
5G WLAN router incl. 4x4 roof antenna	—	1.5	14899	○	○
5G Wi-Fi router incl. 4x4 roof antenna with 22" flat screen incl. flat screen bracket	—	7	15169	○	○
5G Wi-Fi router incl. 4x4 roof antenna with 32" TV (incl. bracket) incl. soundboard	—	10.5	15171	○	○
Additional 22" flat screen incl. flat screen bracket	—	5.5	15178	○	○
Automatic satellite system 85 Twin with 22" flat screen incl. flat screen bracket	—	21.5	15166	○	○
Automatic satellite system 85 Twin with 32" TV (incl. bracket) incl. soundboard	95-P	25	15170	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	95-P	3.65	9582	○	○
Second rear view camera in rear moulding	—	1	11541	○	○
Top View 360° HD camera <sup>21) 22)</sup>	—	4.5	7173	○	○
<b>Heating</b>					
Electrically heated overcab bed	—	16.5	1740	○	○
Heat exchanger for hot-water heating	95-P	7.5	565	○	○
Hot-water carpet for the driver's cab	—	3.5	6709	○	○
<b>Air Conditioning</b>					
Roof A/C	—	38.5	609	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	A 6820-2	A 7820-2
<b>Electrical installation</b>					
Solar power system 100 watt	—	12.6	922	○	○
<b>Water supply</b>					
Outdoor shower (cold water)	—	0.5	793	○	○
<b>Gas supply</b>					
Outdoor gas socket gas pressure 30 mbar	—	1.3	878	○	○
<b>Safety</b>					
2 kg fire extinguisher	—	4	1878	○	○
Alarm system (for door with central locking)	—	0.5	322	○	○
Safe	—	10.5	323	○	○
<b>Packages</b>					
95 Years Package A 6820-2	—	162.45	15630	○	—
95 Years Package A7820-2	—	195.95	15630	—	○
Dual Battery System Package 1	—	63	7488	○	○
Dual Battery System Package 2	—	113	7489	○	○
GT Package ALPA A	—	23.3	13827	○	○
GT Package Silver ALPA A	—	23.3	13828	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

95-P 95 Years Package GT GT Package



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Alpa A Class



The motorhome for adventurous couples. With a wonderfully roomy interior, huge panoramic seating lounge and a pull-down bed containing two comfortable single beds, this motorhome is ideal for couples who prefer to travel in comfort. Even icy temperatures will scarcely be noticed – this vehicle is completely winterproof thanks to the heated double floor and frost-protected water system.

## Technical info

Overall length, approx.	745 - 855 cm
Overall width, approx.	232 cm
Overall height, approx.	304 cm
Headroom in living area, approx.	208 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Samir



+ Upholstery Melia

○



+ Real leather upholstery Collin ○



+ Real leather individual ○

## Wood décor




+ Wood décor Ashton

○ optionally available


## Plus factors

- + 180 hp (136 kW) Multijet engine, 8-speed torque converter automatic transmission, automatic climate control, multifunction leather steering wheel and much more.
- + Ideal driving characteristics: Premium low-frame chassis with 220 mm lowering and up to 4.8 t or 5.4 t permissible gross weight
- + Absolute winter resistance due to heated raised floor with installation laid frost-protected
- + Hot water heating as standard. Comfortable warmth even at the frostiest temperatures. Ideal for allergy sufferers, as no dust whirling up.
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- + Huge panoramic round seating area with plenty of space to eat and linger
- + Exceptional: single beds pull-down bed, electrically lowerable, 2 x 210 x 75 cm lying surface, including large steps for a safe step.
- + 10-year tightness guarantee!



# Alpa A Class

## Technical info



Alpa A Class		I 6820-2	I 7820-2
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform 3-axle
Standard engine		180 Multijet 3 Power	180 Multijet 3 Power
kW (bhp)		132 (180)	132 (180)
Emission standards		Euro VI-E	Euro VI-E
Overall length, approx.	cm	745	855
Overall width, approx.	cm	232	232
Overall height, approx.	cm	304 <sup>1)</sup>	304 <sup>1)</sup>
Headroom in living area, approx.	cm	208	208
Towable load braked/unbraked	kg	1750 / 750	1800 / 750
Wheelbase, approx.	mm	4250	4600
Bed dimension: Front bed, L x W, approx.	cm	2x 200 x 75 / 200 x 165	2x 200 x 75 / 200 x 165
Bed dimension: Rear bed, L x W, approx.	cm	210 x 170 - 180	210 x 150 - 210
Sleeping berths standard / max.		4	4
Mass in running order (+/-5%)*	kg	3595 (3415 to 3775)*	4156 (3948 to 4364)*
Manufacturer-specified mass for optional equipment*	kg	857	485
Technically permissible maximum laden mass*	kg	4800	5000
Permitted number of seats (including driver)*		4	4
Refrigerator volume (thereof freezer), approx.	l	153 (29)	177 (35)
Waste water tank, approx.	l	120	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	130 / 20	166 / 20
Measurement storage opening right (W x H)	cm	100 x 85	105 x 85
Measurement storage opening left (W x H)	cm	100 x 85	105 x 85

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

16820-2

17820-2

	16820-2	17820-2
<b>Fiat chassis</b>		
Alloy wheel FIAT 16", black (for 3-axle)	—	●
Fiat Ducato Maxi ALKO low platform (4,800 kg incl. air suspension rear axle, reinforced springs, aluminium rims) Multijet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	●	—
Fiat Ducato Maxi ALKO low platform 3-axle (5,000 kg) Multijet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	—	●
Right-hand drive chassis	●	●
<b>Weight upgrade</b>		
Single folding seats rear right and left incl. Isofix	●	—
<b>Fiat chassis features</b>		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●
Additional protection for radiator through grille at front of vehicle	●	●
Anti-theft device	●	●
Automatic Brake Assist after a collision	●	●
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	●	●
Bench with 3-point seatbelts for seats facing away from driving direction incl. bed convert for seating lounge (1944)	—	●
Captain seat with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests	●	●
Chassis in right-hand drive version	●	●
Crosswind Assist	●	●
Cruise control	●	●
Cup holder in the centre of the dashboard	●	●
Dashboard with aluminium application	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●
Driver and passenger airbags	●	●
Driver and passenger detection	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●
Front-wheel drive	●	●
LED daytime running lights	●	●
Leather steering wheel and gear knob with leather sleeve	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●
Pleated blinds in the windscreen and side windows of the drive's cab for the best insulation and privacy	●	●
Rear corner steadies (2 pieces)	●	●
Reinforced spring for front axle	●	●
Right-hand drive with exhaust on the left side	●	●
Steering wheel with control elements	●	●
Trailer Stability Assist	●	●
Tyre inflation kit and towing eye	●	●
Tyres M+S Camping (with snowflake)	●	●
<b>Exterior features</b>		
70 cm wide living room door with window and blackout, electric closing aid and gas pressure damper as hold-open device	●	●
Bedroom windows right and left with blackout & mosquito screen	●	●
Central locking for the drive's cab, habitation and garage door	●	●
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler	●	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●	●
Double-glazed flush-fitting windows with blackout & mosquito net (Privacy Black)	●	●
Driver's cab door left	●	●
Electric closing aid for habitation door	●	●
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●
Flyscreen habitation door	●	●
GRP roof	●	●
Habitation access with comfortable coupe entrance	●	●
Habitation access with comfortable, wide, electric step	●	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●	●
Panoramic skylight 75x105 cm above U-shaped seating	—	●

# Standard equipment

	1 6820-2	1 7820-2
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●	●
Side panels and rear panel in smooth aluminium sheets	●	●
Sky Roof (2 x panoramic skylight 70x50cm crossways) over the seating lounge in the rear	●	—
Sky roof (second panoramic skylight 75x105cm lengthwise over the seating lounge in the rear) incl. roof lining and lamp	—	●
<b>Exterior design</b>		
Exterior body painted in white	●	●
<b>Interior design</b>		
Upholstery Samir	●	●
Wood décor Ashton	●	●
<b>Textile equipment</b>		
Carpet, loose	—	●
Carpet, loose	●	—
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●
<b>Furniture layouts</b>		
AirPlus overhead locker rear ventilation to avoid condensation	●	●
Bed convert for seating lounge transverse	●	—
Bed convert for seating lounge transverse	—	●
Electric pull-down bed for single-bed use (without add-on elements)	●	●
Full body mirror	●	●
Overhead locker doors with soft-close function	●	●
Overhead lockers in the rear area	●	●
U-shaped seating in the lounge with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	—	●
U-shaped seating with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	●	—
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	—	●
<b>Kitchen</b>		
Extractor fan (extracted air) with draught stopper	●	●
Fridge (153 l), can be opened on both sides, with integrated oven	●	—
Fridge (177 l), can be opened on both sides, with integrated oven	—	●
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	●	●
Kitchen overhead locker with illuminated roof lining	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●
<b>Bathroom</b>		
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●
Shower grate	●	●
Shower panel and bathroom accessories in black	●	●
<b>Multimedia</b>		
DAB+ radio antenna mounted on the roof	●	●
Flat-screen TV bracket	●	●
Pre-wiring for satellite system	●	●
Pre-wiring for second rear view camera	●	●
Preparation for radio system incl. sound package in the driver's cabin	●	●
Rear view camera (single camera)	●	●
<b>Heating</b>		
Heating in the seating unit for optimum heat distribution, built-in	●	●
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	●	●
<b>Air Conditioning</b>		
Pre-wiring for roof A/C	●	●
<b>Electrical installation</b>		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●

# Standard equipment

	I 6820-2	I 7820-2
Awning light 12 V	●	●
EBL with separate FI protection switch	●	●
LED lighting throughout the vehicle	●	●
Leisure battery AGM, 95 Ah	●	●
Light Moments: Illuminated wardrobe	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●
Light Moments: Indirect lighting in the bathroom with illuminated shower panel	●	●
Light Moments: Indirect wall surface ambient lighting	●	●
Light Moments: Pedestal lighting in the kitchen	●	●
Luxus on-board control panel	●	●
Number of sockets 1x 12V, 6x 230V, 2x USB	●	—
Number of sockets 1x 12V, 7x 230V, 2x USB	—	●
Pre-wiring for solar	●	●
Spotlights in the roof lining above the habitation door	●	●
<b>Water supply</b>		
Fresh water and waste water tanks installed in double floor (insulated area)	●	●
Pressurized water pump system	●	●
Switch for water pump	●	●
<b>Gas supply</b>		
Automatic gas cylinder switchover incl. crash sensor and EisEx	●	●
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●
<b>Safety</b>		
Smoke detector	●	●

# PACKAGES ALPA A CLASS

Package	GT Package ALPA I (13825)	GT Package Silver ALPA I (13826)
Exterior design GT (rear light moulding with black diffuser, radiator grille with chrome piping, skidplate "red")	X	X
LED low beam	X	X
High characteristic Dethleffs Exklusiv rear light carrier with ShapeLine LED taillights and 3rd brake light	X	X
Side panels in metallic titanium silver		X
Additional weight (kg)*	5.5	5.5

Package	Dual Battery System Package 1 (7488)	Dual Battery System Package 2 (7489)
Victron PowerAssist and PowerControl	X	X
Electric block EBL 102	X	X
Victron control panel above the habitation door	X	X
Victron Energy MultiPlus charging/inverter combination 1600W/70A	X	
168 Ah lithium battery	X	
Victron Energy MultiPlus charging/inverter combination 3000W/120A		X
336 Ah lithium battery		X
Additional weight (kg)*	63	113

Package	95 Years Package I 6820-2 (15629)	95 Years Package I 7820-2 (15629)
Exterior design GT (rear light moulding with black diffuser, radiator grille with chrome piping, skidplate "red")	X	X
LED low beam	X	X
High characteristic Dethleffs Exklusiv rear light carrier with ShapeLine LED taillights and 3rd brake light	X	X
Victron PowerAssist and PowerControl	X	X
Electric block EBL 102	X	X
Victron control panel above the habitation door	X	X
Victron Energy MultiPlus charging/inverter combination 1600W/70A	X	X
168 Ah lithium battery	X	X
Automatic satellite system 85 Twin with 32' TV (incl. bracket) incl. soundboard	X	X
Heat exchanger for hot-water heating	X	X
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	X	X
Omnistor cassette awning 5.0 m (electric)	X	
Omnistor cassette awning 6.0 m (electric)		X
Weight upgrade to 5,400 kg		X
Additional weight (kg)*	144.65	178.15

△ Not known at the time of publication



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	I 6820-2	I 7820-2
<b>Weight upgrade</b>					
Weight upgrade to 5,400 kg	—	0.5	7497	—	○
<b>Fiat chassis features</b>					
Hydraulic lifting jacks with automatic levelling and weighing function	—	70	9663	○	○
SKA captain seat with air suspension	—	20	7505	○	○
Seat heating and ventilation of the seat area <sup>18) 17)</sup>	—	0	11147	○	○
Tow bar (observe when operating trailers with a maximum authorised load)	—	30	273	○	○
<b>Exterior features</b>					
Omnistor cassette awning 5.0 m (electric)	95-P	40	428	○	—
Omnistor cassette awning 5.0 m (manual)	—	40	697	○	—
Omnistor cassette awning 6.0 m (electric)	95-P	70	519	—	○
Omnistor cassette awning 6.0 m (manual)	—	64	560	—	○
Roof vent with fan	—	1.5	7507	○	○
<b>Exterior design</b>					
Side panels in metallic titanium silver	GT	0	511	○	○
<b>Interior design</b>					
Real leather individual <sup>17) 19)</sup>	—	0	9785	○	○
Real leather upholstery Collin <sup>17)</sup>	—	0	11952	○	○
Upholstery Melia	—	0	11950	○	○
<b>Bathroom</b>					
Ceramic toilet <sup>20)</sup>	—	9.1	7243	○	○
Macerator toilet with waste-holding tank	—	44	1625	○	○
Toilet ventilation via the roof <sup>20)</sup>	—	0.8	1681	○	○
<b>Multimedia</b>					
5G WLAN router incl. 4x4 roof antenna	—	1.5	14899	○	○
5G Wi-Fi router incl. 4x4 roof antenna with 22" flat screen incl. flat screen bracket	—	7	15169	○	○
5G Wi-Fi router incl. 4x4 roof antenna with 32" TV (incl. bracket) incl. soundboard	—	10.5	15171	○	○
Additional 22" flat screen incl. flat screen bracket	—	5.5	15178	○	○
Automatic satellite system 85 Twin with 22" flat screen incl. flat screen bracket	—	21.5	15166	○	○
Automatic satellite system 85 Twin with 32" TV (incl. bracket) incl. soundboard	95-P	25	15170	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto <sup>5)</sup>	95-P	3.65	9582	○	○
Second rear view camera in rear moulding	—	1	11541	○	○
Top View 360° HD camera <sup>21) 22)</sup>	—	4.5	7173	○	○
<b>Heating</b>					
Heat exchanger for hot-water heating	95-P	7.5	565	○	○
Hot-water carpet for the driver's cab	—	3.5	6709	○	○
<b>Air Conditioning</b>					
Roof A/C	—	38.5	609	○	○
<b>Electrical installation</b>					
Solar power system 100 watt	—	12.6	922	○	○
<b>Water supply</b>					



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	I 6820-2	I 7820-2
Outdoor shower (cold water)	—	0.5	793	○	○
<b>Gas supply</b>					
Outdoor gas socket gas pressure 30 mbar	—	1.3	878	○	○
<b>Safety</b>					
2 kg fire extinguisher	—	4	1878	○	○
Alarm system (for door with central locking)	—	0.5	322	○	○
Safe	—	10.5	323	○	○
<b>Packages</b>					
95 Years Package I 6820-2	—	144.65	15629	○	—
95 Years Package I 7820-2	—	178.15	15629	—	○
Dual Battery System Package 1	—	63	7488	○	○
Dual Battery System Package 2	—	113	7489	○	○
GT Package ALPA I	—	5.5	13825	○	○
GT Package Silver ALPA I	—	5.5	13826	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

95-P 95 Years Package GT GT Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



# XL Family Coach built



Experience a new dimension of motorhoming freedom: 860 cm overall length, a technically permissible maximum laden mass of 5.4 tonnes, and six berths and seating areas. The Globetrotter XL Family is the perfect vehicle for both large families and passionate motorhomers who plan their trips in terms of weeks and months rather than days. It combines plenty of room and storage space with an enormous load capacity. And thanks to its ingenious double floor concept and hot-water heating as standard, it is absolutely winterproof.

## Upholstery



+ Upholstery Floyd

## Wood décor



+ Wood décor Noce Nagano


### Technical info

Overall length, approx.	860 cm
Overall width, approx.	232 cm
Overall height, approx.	327 cm
Headroom in living area, approx.	209 cm

Maximum values partly not possible for all models or only in connection with certain options.


## Plus factors

- + 180 hp (132 kW) Multijet engine, 8-speed torque converter automatic transmission, full LED headlights, cruise control, air conditioning, state-of-the-art assistance systems and much more.
- + Ideal driving characteristics: Premium low platform chassis with 145 mm lowering and 5.4 tonnes gross vehicle weight rating
- + Absolute winterproof: double floor with frost-proof water installation
- + Hot water heating for even heat distribution and a cosy feeling - even in icy temperatures
- + Huge, heated rear garage with 250 kg surface load, loadable on both sides, anti-slip floor covering, lashing rails, lighting, 230 V socket
- + Double-glazed flush-fitting windows
- + Side walls, rear and roof made of robust, hail-resistant GRP with XPS insulation
- + Luxurious standard equipment including aluminium wheels, 6m awning, refrigerator with oven, Omnivent roof ventilator, Naviceiver with 9-inch touch display, 2 rear view cameras and much more.
- + 10-year tightness guarantee!



# XL Family Coach built

## Technical info



XL Family Coach built		A 7872-2
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform 3-axle
Standard engine		180 Multijet 3 Power
kW (bhp)		132 (180)
Emission standards		Euro VI-E
Overall length, approx.	cm	860
Overall width, approx.	cm	232
Overall height, approx.	cm	327
Headroom in living area, approx.	cm	209
Towable load braked/unbraked	kg	1800 / 750
Wheelbase, approx.	mm	4600
Bed dimension alcove, L x W, approx.	cm	210 x 165
Bed dimension: Central / middle bed, L X W, approx.	cm	195 x 130
Bed dimension: Rear bed, L x W, approx.	cm	211 x 152
Sleeping berths standard / max.		6
Mass in running order (+/-5%)*	kg	3852 (3659 to 4045)*
Manufacturer-specified mass for optional equipment*	kg	1019
Technically permissible maximum laden mass*	kg	5400
Permitted number of seats (including driver)*		6
Refrigerator volume (thereof freezer), approx.	l	137 (15)
Waste water tank, approx.	l	150
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	160 / 20
Measurement storage opening right (W x H)	cm	105 x 135
Measurement storage opening left (W x H)	cm	105 x 135

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

A 787Z-2

Fiat chassis	
Alloy wheel FIAT 16", black (for 3-axle)	●
Fiat Ducato Maxi ALKO low platform 3-axle (5,400 kg) Multijet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	●
Right-hand drive chassis	●
Fiat chassis features	
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●
Anti-theft device	●
Automatic Brake Assist after a collision	●
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	●
Cab blackout blinds	●
Captain seats for driver and front passenger, swivel function	●
Chassis in right-hand drive version	●
Crosswind Assist	●
Cruise control	●
Cup holder in the centre of the dashboard	●
DAB+ radio antenna integrated into right exterior mirror	●
Dashboard with aluminium application	●
Daytime running lights integrated into headlights	●
Diesel tank 90 litre incl. 19L AdBlue tank	●
Driver and passenger airbags	●
Driver and passenger detection	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●
Exterior colour chassis white	●
Fog lights incl. cornering light	●
Front-wheel drive	●
Full LED low beam	●
Height and tilt adjustment and double armrests for driver and passenger seat	●
Leather steering wheel and gear knob with leather sleeve	●
Padded double armrests, fabric cover	●
Painted front bumper in body colour incl. black skid plate	●
Preparation for radio system incl. loudspeakers in the driver's cabin	●
Rear axle mudflaps	●
Right-hand drive with exhaust on the left side	●
Safety Package II: headrests and safety belts for seat facing away from driving direction	●
Steering wheel with control elements	●
Trailer Stability Assist	●
Tyre inflation kit and towing eye	●
Tyres M+S Camping (with snowflake)	●
Exterior features	
70 cm wide habitation door	●
Dethleffs Exclusive rear light carrier with 3rd brake light	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●
Exterior design GT (rear light moulding with black diffuser, front I-paint partly black, radiator grille with chrome piping, skidplate "red")	●
Floor thickness: 42 mm, side wall thickness: 34mm and roof thickness: 35 mm	●
Flyscreen habitation door	●
GRP roof	●
Habitation access with comfortable coupe entrance	●
Habitation access with comfortable, wide, electric step	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●
Large rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (250 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	●

# Standard equipment

A 787Z-2

Omnistor cassette awning 6.0 m (manual) <sup>23)</sup>	●
Opening window in overcab right	●
Panorama skylight 70 x 50 cm in the living area	●
Roof vent with fan	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●
XPS insulation	●
<b>Exterior design</b>	
Exterior body painted in white	●
<b>Interior design</b>	
Upholstery Floyd	●
Wood décor Noce Nagano	●
<b>Textile equipment</b>	
Rear beds with ergonomic wooden slatted frames and 110 mm thick 7-zone premium mattresses made from climate-regulating material	●
<b>Furniture layouts</b>	
AirPlus overhead locker rear ventilation to avoid condensation	●
Bed convert for seating lounge transverse	●
Children's beds and overcab bed with safety net and ladder	●
Double bed high in the rear, transverse	●
Fold-away overcab bed	●
ISOFIX child seat bracket for third and fourth seat facing direction of travel	●
No steps in living room	●
Overhead locker doors with soft-close function	●
Two practical tension nets under the overhead locker in the rear bed	●
U-shaped seating group (free-standing, lowerable table base and wrap-around seat and back cushion), incl. 2 integrated 3-point belts in the direction of travel and 2 2-point belts against the direction of travel	●
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	●
<b>Kitchen</b>	
Fridge (137 l) with integrated oven	●
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●
Kitchen backsplash	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●
<b>Bathroom</b>	
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●
Shower grate	●
Shower panel and bathroom accessories in black	●
Window in bathroom	●
<b>Multimedia</b>	
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	●
Flat-screen TV bracket	●
Preparation for radio system incl. sound package in the driver's cabin	●
Rear view camera (single camera)	●
Second rear view camera in rear moulding	●
<b>Heating</b>	
Heat exchanger for hot-water heating	●
Hot-water carpet for the driver's cab	●
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	●
<b>Air Conditioning</b>	
Pre-wiring for roof A/C	●
<b>Electrical installation</b>	
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●
Awning light 12 V	●

# Standard equipment

A 7872-2

Dethleffs connect - System Control Unit Lite	●
EBL with separate FI protection switch	●
LED lighting throughout the vehicle	●
Leisure battery AGM, 95 Ah	●
Light Moments: Indirect ambient lighting above the overhead lockers	●
Light Moments: Indirect wall surface ambient lighting	●
Number of sockets 1x 12V, 7x 230V, 4x USB	●
Pre-wiring for solar	●
Premium on-board control panel with touchscreen	●
Spotlights in the roof lining above the habitation door	●
<b>Water supply</b>	
Fresh water and waste water tanks installed in double floor (insulated area)	●
Submersible pump	●
Switch for water pump	●
<b>Gas supply</b>	
Automatic gas cylinder switchover incl. crash sensor and EisEx	●
Outdoor gas socket gas pressure 30 mbar	●
Storage space for 2 gas bottles with a filling weight of 11 kg each	●
<b>Safety</b>	
Smoke detector	●

# PACKAGES XL FAMILY COACH BUILT

## Technic Package (14140)

Hydraulic lifting jacks with automatic levelling and weighing function

Top View 360° HD camera

Roof A/C

Additional weight (kg)\*

113

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

Included in package	Additional weight (kg)*	Code	A 787Z*2
---------------------	-------------------------	------	----------

Fiat chassis features			
Rear corner steadies (2 pieces)	—	6.8	390 ○
Tow bar (observe when operating trailers with a maximum authorised load)	—	35	273 ○
Exterior features			
Bike rack for 3 bikes (lowerable)	—	21.1	7482 ○
Omnistor cassette awning 6.0 m (electric) <sup>23)</sup>	—	6	519 ○
Multimedia			
5G WLAN router incl. 4x4 roof antenna	—	1.5	14899 ○
5G Wi-Fi router incl. 4x4 roof antenna with 32" smart TV incl. flat screen bracket	—	11.5	15168 ○
Automatic satellite system 85 Twin with 32' flat screen incl. flat screen bracket	—	26	15167 ○
Heating			
Electrically heated overcab bed	—	16.5	1740 ○
Electrical installation			
Second leisure battery AGM, 95 Ah <sup>6)</sup>	—	27	830 ○
Safety			
2 kg fire extinguisher	—	4	1878 ○
Packages			
Technic Package <sup>22)</sup>	—	113	14140 ○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# XL Family A Class



Ready for big adventures – all year round: the XL Family I is the perfect A Class for families with a passion for travel. With 180 hp (132 kW), automatic transmission and a premium low-frame chassis, it delivers confident performance – even when fully loaded. The ALDE hot-water heating system, heated double floor and frost-protected installations ensure a warm and cosy interior even in freezing conditions. A gourmet kitchen, centre bathroom and durable body construction make it a true home from home for the whole family.

## Technical info

Overall length, approx.	860 cm
Overall width, approx.	232 cm
Overall height, approx.	304 cm
Headroom in living area, approx.	208 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Floyd


## Wood décor



+ Wood décor Noce Nagano

## Plus factors

- + 180 hp (132 kW) Multijet engine, 8-speed torque converter automatic transmission, full LED headlights, cruise control, air conditioning, state-of-the-art assistance systems and much more.
- + Ideal driving characteristics: premium low-frame chassis with 220 mm lowering and 5.4 tonnes gross vehicle weight rating
- + Absolute winterproof: double floor with frost-proof water installation
- + Hot water heating for even heat distribution and a cosy feeling - even in icy temperatures
- + Huge, heated rear garage with 250 kg surface load, loadable on both sides, anti-slip floor covering, lashing rails, lighting, 230 V socket
- + Double-glazed flush-fitting windows
- + Side walls, rear and roof made of robust, hail-resistant GRP with XPS insulation
- + Luxurious standard equipment including aluminium wheels, 6m awning, refrigerator with oven, Omnivent roof ventilator, Naviceiver with 9-inch touch display, 2 rear view cameras and much more.
- + 10-year tightness guarantee!



# XL Family A Class

## Technical info



XL Family A Class		I 7812-2
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform 3-axle
Standard engine		180 Multijet 3 Power
kW (bhp)		132 (180)
Emission standards		Euro VI-E
Overall length, approx.	cm	860
Overall width, approx.	cm	232
Overall height, approx.	cm	304
Headroom in living area, approx.	cm	208
Towable load braked/unbraked	kg	1800 / 750
Wheelbase, approx.	mm	4500
Bed dimension: Front bed, L x W, approx.	cm	196 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	210 x 93
Bed dimension: Rear bed, L x W, approx.	cm	2x 200 x 80 / 211 x 200
Sleeping berths standard / max.		5
Mass in running order (+/-5%)*	kg	3812 (3621 to 4003)*
Manufacturer-specified mass for optional equipment*	kg	1229
Technically permissible maximum laden mass*	kg	5400
Permitted number of seats (including driver)*		4 - 5 ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)
Waste water tank, approx.	l	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	166 / 20
Measurement storage opening right (W x H)	cm	100 x 120
Measurement storage opening left (W x H)	cm	100 x 120

○ Optional equipment   — Not possible   ● Standard equipment   ◆ Mandatory   △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

I 7812-2

Fiat chassis	
Alloy wheel FIAT 16", black (for 3-axle)	●
Fiat Ducato Maxi ALKO low platform 3-axle (5,400 kg) Multijet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	●
Right-hand drive chassis	●
Fiat chassis features	
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●
Additional protection for radiator through grille at front of vehicle	●
Anti-theft device	●
Automatic Brake Assist after a collision	●
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	●
Captain seats for driver and front passenger, swivel function	●
Chassis in right-hand drive version	●
Crosswind Assist	●
Cruise control	●
Cup holder in the centre of the dashboard	●
Dashboard with aluminium application	●
Diesel tank 90 litre incl. 19L AdBlue tank	●
Driver and passenger airbags	●
Driver and passenger detection	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●
Front-wheel drive	●
Height and tilt adjustment and double armrests for driver and passenger seat	●
LED daytime running lights	●
Leather steering wheel and gear knob with leather sleeve	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●
Padded double armrests, fabric cover	●
Pleated privacy blind in the windscreen can be adjusted horizontally and laterally for the best insulation	●
Preparation for radio system incl. loudspeakers in the driver's cabin	●
Rear axle mudflaps	●
Right-hand drive with exhaust on the left side	●
Steering wheel with control elements	●
Trailer Stability Assist	●
Tyre inflation kit and towing eye	●
Tyres M+S Camping (with snowflake)	●
Exterior features	
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall	●
70 cm wide habitation door	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●
Driver's cab door left	●
Exterior design GT (rear light moulding with black diffuser, front I-paint partly black, radiator grille with chrome piping, skidplate "red")	●
Floor thickness: 42 mm, side wall thickness: 34mm and roof thickness: 35 mm	●
Flyscreen habitation door	●
GRP roof	●
Habitation access with comfortable coupe entrance	●
Habitation access with comfortable, wide, electric step	●
Habitation door with window incl. blackout and central locking (incl. cab door)	●
Large rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (250 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	●
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	●
Omnistor cassette awning 6.0 m (manual) <sup>23)</sup>	●
Panorama skylight 70 x 50 cm in the living area	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●
Roof vent with fan	●

# Standard equipment

I 7812-2

Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface

Skylight 40 x 40 cm above rear bed

XPS insulation

## Exterior design

Exterior body painted in white

## Interior design

Upholstery Floyd

Wood décor Noce Nagano

## Textile equipment

Rear beds with ergonomic wooden slatted frames and 110 mm thick 7-zone premium mattresses made from climate-regulating material

## Furniture layouts

AirPlus overhead locker rear ventilation to avoid condensation

Bed convert for seating lounge transverse

Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts

High-level single beds incl. comfortable access via steps

ISOFIX child seat bracket for third and fourth seat facing direction of travel

Manual pull-down bed in the driver's cab

No steps in living room

Option to convert single beds to double bed

Overhead locker doors with soft-close function

Wardrobe floor-to-ceiling with convenient linen drawers in upper area

## Kitchen

Fridge (137 l) with integrated oven

Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop

Kitchen backsplash

MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)

## Bathroom

Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head

Shower grate

Shower panel and bathroom accessories in black

Window in bathroom

## Multimedia

DAB+ radio antenna mounted on the roof

Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto

Flat-screen TV bracket

Integrated single-lens rear view camera

Preparation for radio system incl. sound package in the driver's cabin

Second rear view camera in rear moulding

## Heating

Heat exchanger for hot-water heating

Hot-water carpet for the driver's cab

Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel

## Air Conditioning

Pre-wiring for roof A/C

## Electrical installation

Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator

Awning light 12 V

Dethleffs connect - System Control Unit Lite

EBL with separate FI protection switch

LED lighting throughout the vehicle

Leisure battery AGM, 95 Ah

# Standard equipment

I 7812-2

Light Moments: Clad seat chest side with indirect lighting	●
Light Moments: Indirect ambient lighting above the overhead lockers	●
Light Moments: Indirect wall surface ambient lighting	●
Light Moments: illuminated kitchen splashback	●
Number of sockets 1x 12V, 7x 230V, 4x USB	●
Pre-wiring for solar	●
Premium on-board control panel with touchscreen	●
Spotlights in the roof lining above the habitation door	●
<b>Water supply</b>	
Fresh water and waste water tanks installed in double floor (insulated area)	●
Submersible pump	●
Switch for water pump	●
<b>Gas supply</b>	
Automatic gas cylinder switchover incl. crash sensor and EisEx	●
Outdoor gas socket gas pressure 30 mbar	●
Storage space for 2 gas bottles with a filling weight of 11 kg each	●
<b>Safety</b>	
Smoke detector	●

# PACKAGES XL FAMILY A CLASS

## Technic Package (14140)

Hydraulic lifting jacks with automatic levelling and weighing function

Top View 360° HD camera

Roof A/C

Additional weight (kg)\*

114.5

△ Not known at the time of publication



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

Included in package	Additional weight (kg)*	Code	
---------------------	-------------------------	------	--

17812-2

## Fiat chassis features

5th seat with seat belt	—	11	435	○
Rear corner steadies (2 pieces)	—	6.8	390	○
Tow bar (observe when operating trailers with a maximum authorised load)	—	35	273	○

## Exterior features

Bike rack for 3 bikes (lowerable)	—	20.7	7482	○
Omnistor cassette awning 6.0 m (electric) <sup>23)</sup>	—	6	519	○

## Textile equipment

Carpet, loose	—	8.3	851	○
---------------	---	-----	-----	---

## Multimedia

5G WLAN router incl. 4x4 roof antenna	—	1.5	14899	○
5G Wi-Fi router incl. 4x4 roof antenna with 32" smart TV incl. flat screen bracket	—	11.5	15168	○
Automatic satellite system 85 Twin with 32' flat screen incl. flat screen bracket	—	26	15167	○

## Electrical installation

2nd Leisure battery Dual Battery System (Lithium), 140 Ah <sup>6)</sup>	—	19	13968	○
Second leisure battery AGM, 95 Ah <sup>6)</sup>	—	27	830	○

## Safety

2 kg fire extinguisher	—	4	1878	○
------------------------	---	---	------	---

## Packages

Technic Package <sup>22)</sup>	—	114.5	14140	○
--------------------------------	---	-------	-------	---

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Globetrotter XL



This lifestyle luxury motorhome combines spacious living, modern design and genuine driving dynamics. The sporty design language translates a premium wide-track low-platform chassis into real driving experiences. With the Globetrotter XLI, you are just as good on the road as it looks: sporty, dynamic and safe - and thanks to the winterproof double floor construction, 365 days a year.

## Technical info

Overall length, approx.	861 cm
Overall width, approx.	232 cm
Overall height, approx.	304 cm
Headroom in living area, approx.	208 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery




+ Upholstery Samir



+ Upholstery Melia

○



+ Real leather upholstery Collin ○



+ Real leather individual ○

## Wood décor




+ Wood décor Amberes Oak

○ optionally available


## Plus factors

- + 180 hp (136 kW) Multijet engine, 8-speed torque converter automatic transmission, automatic climate control, multifunction leather steering wheel and much more.
- + Ideal driving characteristics: Premium low platform chassis with 220 mm lowering and up to 5,4 t gross vehicle mass
- + Absolute winter resistance due to heated raised floor with frost-protected installation.
- + Hot water heating as standard. Comfortable warmth even at the frostiest temperatures. Ideal for allergy sufferers, as no dust whirling up.
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- + Gourmet kitchen with mineral countertop, 3-burner high-efficiency stove, generous drawers with soft-close retraction and central locking, apothecary pull-out, and more.
- + Spacious bathroom with sliding door to the bedroom
- + 10-year tightness guarantee!



# Globetrotter XL

## Technical info



Globetrotter XL		I 7850-2 DBM	I 7850-2 EB
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform 3-axle	Fiat Ducato Maxi AL-KO Low Platform 3-axle
Standard engine		180 Multijet 3 Power	180 Multijet 3 Power
kW (bhp)		132 (180)	132 (180)
Emission standards		Euro VI-E	Euro VI-E
Overall length, approx.	cm	861	861
Overall width, approx.	cm	232	232
Overall height, approx.	cm	304 <sup>1)</sup>	304 <sup>1)</sup>
Headroom in living area, approx.	cm	208	208
Towable load braked/unbraked	kg	1800 / 750	1800 / 750
Wheelbase, approx.	mm	4500	4500
Bed dimension: Front bed, L x W, approx.	cm	200 x 150	200 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 150 - 90 ○	206 x 150 - 95 ○
Bed dimension: Rear bed, L x W, approx.	cm	200 x 160	210 x 200 - 145 / 2x 200 x 82
Sleeping berths standard / max.		4 / 5 ○	4 / 5 ○
Mass in running order (+/-5%)*	kg	4131 (3924 to 4338)*	4129 (3923 to 4335)*
Manufacturer-specified mass for optional equipment*	kg	509	511
Technically permissible maximum laden mass*	kg	5000	5000
Permitted number of seats (including driver)*		4 - 5 ○	4 - 5 ○
Refrigerator volume (thereof freezer), approx.	l	177 (35)	177 (35)
Waste water tank, approx.	l	156	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	166 / 20	166 / 20
Measurement storage opening right (W x H)	cm	100 x 105	100 x 80 ○ / 100 x 110
Measurement storage opening left (W x H)	cm	100 x 105	100 x 80 ○ / 100 x 110

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

17850-2 DBM

17850-2 EB

Fiat chassis		
Alloy wheel FIAT 16", black (for 3-axle)	●	●
Fiat Ducato Maxi ALKO low platform 3-axle (5,000 kg) Multijet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	●	●
Right-hand drive chassis	●	●
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●
Additional protection for radiator through grille at front of vehicle	●	●
Automatic Brake Assist after a collision	●	●
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	●	●
Captain seat with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests	●	●
Chassis in right-hand drive version	●	●
Crosswind Assist	●	●
Cruise control	●	●
Cup holder in the centre of the dashboard	●	●
Dashboard with aluminium application	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●
Driver and passenger airbags	●	●
Driver and passenger detection	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●
Electric windscreen blinds	●	●
Front-wheel drive	●	●
LED daytime running lights	●	●
Leather steering wheel and gear knob with leather sleeve	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●
Rear corner steadies (2 pieces)	●	●
Reinforced spring for front axle	●	●
Right-hand drive with exhaust on the left side	●	●
Steering wheel with control elements	●	●
Trailer Stability Assist	●	●
Tyre inflation kit and towing eye	●	●
Tyres M+S Camping (with snowflake)	●	●
Exterior features		
70 cm wide habitation door with window and blind	●	●
Bedroom windows right and left with blackout & mosquito screen	●	●
Central locking for the drive's cab, habitation and garage door	●	●
Dethleffs Exclusive GRP rear in modern coach look with ShapeLine LED taillights and integrated 3rd brake light	●	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●	●
Double-glazed flush-fitting windows with blackout & mosquito protection	●	●
Driver's cab door left	●	●
Electric closing aid for habitation door	●	●
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●
Flyscreen habitation door	●	●
GRP roof	●	●
Habitation access with comfortable coupe entrance	●	●
Habitation access with comfortable, wide, electric step	●	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●
Panoramic skylight 75x105 cm above the seating lounge	●	●
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●	●
Side panels and rear panel in smooth aluminium sheets	●	●
Skylight 40 x 40 cm above rear bed	●	●
Exterior design		

# Standard equipment

	17850-2 DBM	17850-2 EB
Exterior body painted in white	●	●
<b>Interior design</b>		
Upholstery Samir	●	●
Wood décor Amberes Oak	●	●
<b>Textile equipment</b>		
Carpet, loose	—	●
Carpet, loose	●	—
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●
<b>Furniture layouts</b>		
AirPlus overhead locker rear ventilation to avoid condensation	●	●
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	●	●
Double bed high	●	—
Electric pull-down bed in the driver's cab	●	●
Floor-to-ceiling wooden sliding door to the bedroom	●	●
Full body mirror	●	●
High-level single beds incl. comfortable access via steps	—	●
No steps in living room	●	●
Option to convert single beds to double bed	—	●
Overhead locker doors with soft-close function	●	●
Sideboard incl. pull-out leg support, drawers and illuminated wall panels	●	●
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	●	●
Wardrobe to the left and right of the queen-size bed	●	—
<b>Kitchen</b>		
Extractor fan (extracted air) with draught stopper	●	●
Fridge (177 l), can be opened on both sides, with integrated oven	●	●
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	●	●
Worktop made of solid surface material	●	●
<b>Bathroom</b>		
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●
Shower grate	●	●
Shower panel and bathroom accessories in black	●	●
Window in bathroom	●	●
<b>Multimedia</b>		
DAB+ radio antenna mounted on the roof	●	●
Flat-screen TV bracket	●	●
Integrated single-lens rear view camera	●	●
Pre-wiring for satellite system	●	●
Preparation for additional flat screen	●	●
Preparation for radio system incl. sound package in the driver's cabin	●	●
Second rear view camera in rear moulding	●	●
<b>Heating</b>		
Heat exchanger for hot-water heating	●	●
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	●	●
<b>Air Conditioning</b>		
Pre-wiring for roof A/C	●	●
<b>Electrical installation</b>		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●
Awning light 12 V	●	●
Dethleffs connect - System Control Unit	●	●
EBL with separate FI protection switch	●	●

# Standard equipment

	17850-2 DBM	17850-2 EB
LED lighting throughout the vehicle	●	●
Leisure battery AGM, 95 Ah	●	●
Light Moments: Continuous canopy with indirect lighting	●	●
Light Moments: Indirect ambient lighting above the overhead lockers	●	●
Light Moments: Indirect dimmable wall surface ambient lighting	●	●
Light Moments: Indirect lighting in the bathroom with illuminated shower panel	●	●
Light Moments: Indirect lighting of the sideboard/side couch on the right and of the entrance module as well as of the kitchen tall cupboard	●	●
Light Moments: illuminated kitchen splashback	●	●
Light Moments: plinth lighting throughout the vehicle	●	●
Number of sockets 1x 12V, 8x 230V, 2x USB	●	●
Pre-wiring for solar	●	●
Premium on-board control panel with touchscreen	●	●
Spotlights in the roof lining above the habitation door	●	●
Two-tone sockets and switches	●	●
<b>Water supply</b>		
Fresh water and waste water tanks installed in double floor (insulated area)	●	●
Pressurized water pump system	●	●
Switch for water pump	●	●
<b>Gas supply</b>		
Automatic gas cylinder switchover incl. crash sensor and EisEx	●	●
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●
<b>Safety</b>		
Smoke detector	●	●

# PACKAGES GLOBETROTTER XL

Package	Dual Battery System Package 1 (7488)	Dual Battery System Package 2 (7489)
Victron PowerAssist and PowerControl	x	x
Electric block EBL 102	x	x
Victron control panel above the habitation door	x	x
Victron Energy MultiPlus charging/inverter combination 1600W/70A	x	
168 Ah lithium battery	x	
Victron Energy MultiPlus charging/inverter combination 3000W/120A		x
336 Ah lithium battery		x
Additional weight (kg)*	63	113

GT Package (14589)	
LED low beam	
Lateral sun shades, as a roller blind for driver and passenger	
Panorama skylight 70 x 50 cm in the bedroom	
Interior design GT incl. extended kitchen back panel	
Additional weight (kg)*	10.4

95 Years Package (15632)	
LED low beam	
Lateral sun shades, as a roller blind for driver and passenger	
Panorama skylight 70 x 50 cm in the bedroom	
Interior design GT incl. extended kitchen back panel	
Omnistor cassette awning 6.0 m (electric)	
Automatic satellite system 85 Twin with 32" flat screen incl. flat screen bracket	
Victron PowerAssist and PowerControl	
Electric block EBL 102	
Victron control panel above the habitation door	
Victron Energy MultiPlus charging/inverter combination 1600W/70A	
168 Ah lithium battery	
Weight upgrade to 5,400 kg	
ISOFIX child seat bracket for third and fourth seat facing direction of travel	
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	
Additional weight (kg)*	177.55

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	I 7850-2 DBM	I 7850-2 EB
<b>Weight upgrade</b>					
Weight upgrade to 5,400 kg	—	0.5	7497	○	○
<b>Fiat chassis features</b>					
5th seat with seat belt incl. side couch and sliding window instead of sideboard <sup>24) 25) 8)</sup>	—	11	435	○	○
Hydraulic lifting jacks with automatic levelling and weighing function	—	70	9663	○	○
LED low beam	GT	0.5	7152	○	○
SKA captain seat with air suspension	—	20	7505	○	○
Seat heating and ventilation of the seat area <sup>17) 18)</sup>	—	0	11147	○	○
Tow bar (observe when operating trailers with a maximum authorised load)	—	30	273	○	○
<b>Exterior features</b>					
Omnistor cassette awning 6.0 m (electric)	—	70	519	○	○
Omnistor cassette awning 6.0 m (manual)	—	64	560	○	○
Panorama skylight 70 x 50 cm in the bedroom	GT	6	246	○	○
Roof vent with fan	—	1.5	7507	○	○
<b>Exterior design</b>					
Exterior paint on the front bonnet, GRP rear and side panels in metallic titanium silver	—	2.5	511	○	○
<b>Interior design</b>					
Real leather individual <sup>17) 19)</sup>	—	0	9785	○	○
Real leather upholstery Collin <sup>17)</sup>	—	0	11952	○	○
Upholstery Melia	—	0	11950	○	○
<b>Furniture layouts</b>					
Bed convert for seating lounge transverse <sup>26)</sup>	—	9	1944	○	○
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	○	○
Low single-beds for comfortable access and high headroom	—	20.5	510	—	○
Overhead lockers in the driver's cab instead of pull-down bed	—	-40	679	○	○
<b>Kitchen</b>					
Winter cover for refrigerator vents	—	0.3	282	○	○
<b>Bathroom</b>					
Ceramic toilet <sup>20)</sup>	—	9.1	7243	○	○
Macerator toilet with waste-holding tank	—	48	1625	○	○
Toilet ventilation via the roof <sup>20)</sup>	—	0.8	1681	○	○
<b>Multimedia</b>					
5G WLAN router incl. 4x4 roof antenna	—	1.5	14899	○	○
5G Wi-Fi router incl. 4x4 roof antenna with 32" smart TV incl. flat screen bracket	—	11.5	15168	○	○
Additional 22" flat screen incl. flat screen bracket	—	5.5	15178	○	○
Automatic satellite system 85 Twin with 32" flat screen incl. flat screen bracket	—	26	15167	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto <sup>5)</sup>	—	3.65	9582	○	○
Top View 360° HD camera <sup>21) 22)</sup>	—	4.5	7173	○	○
<b>Heating</b>					
Hot-water carpet for the driver's cab	—	3.5	6709	○	○
<b>Air Conditioning</b>					



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	I 7850-2 DBM	I 7850-2 EB
Roof A/C	—	38.5	609	○	○
<b>Electrical installation</b>					
Solar power system 100 watt	—	12.6	922	○	○
<b>Water supply</b>					
Outdoor shower installed in rear garage (hot/cold water)	—	2.4	1574	○	○
<b>Gas supply</b>					
Outdoor gas socket gas pressure 30 mbar	—	1.3	878	○	○
<b>Safety</b>					
2 kg fire extinguisher	—	4	1878	○	○
Alarm system (for door with central locking)	—	0.5	322	○	○
Safe	—	4.7	323	○	○
<b>Packages</b>					
95 Years Package	—	177.55	15632	○	○
Dual Battery System Package 1 <sup>6)</sup>	—	63	7488	○	○
Dual Battery System Package 2 <sup>6)</sup>	—	113	7489	○	○
GT Package	—	10.4	14589	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

GT GT Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# TECHNICAL INFORMATION / FOOTNOTES

If you order your vehicle with additional equipment, you should check whether it makes sense or is necessary to increase the vehicle's weight! The optional equipment partially replaces the standard equipment. Individual components of packages can also be ordered separately. Please note that this does not entitle you to the price advantage and may also extend the delivery time. Please contact your retail partner for more information.

## FOOTNOTES

- 1) Please note that the total height may increase due to additional roof structures and optional equipment..
- 2) The maximum towing capacity is reduced to 1900 kg in combination with the 'weight upgrade to 3650 kg' option.
- 3) The maximum surface load of the garage increases to 250 kg in combination with the "trailer coupling" option.
- 4) Only possible in combination with the option "Active Package".
- 5) Only possible in combination with the option "Preparation for radio system incl. sound package in the driver's cab" (Code 659).
- 6) The standard 25 A charge booster is replaced by a 45 A charge booster.
- 7) Not possible in combination with the option "Active Package"
- 8) An optional seat must be considered as a regular seat when calculating the minimum payload and the mass of the passengers. In order to obtain an optional seat, it must be ensured that the minimum payload is still maintained and that all other legal mass values are complied with. Please contact our trade partners for detailed information.
- 9) First Edition Package included in the base price.
- 10) The "panorama skylight 70x50 cm in the living area" is in combination with the option "electric pull-down bed above the seating group" in the sleeping area and then there is a roof hood 40x40 cm above the pull-down bed
- 11) The maximum trailer load is reduced to 1750 kg in combination with the option 'Fiat Ducato Maxi Low-frame (4250 kg gross vehicle weight)'.  
12) The 'GRP lightweight leaf spring' is not applicable in combination with the 'Fiat Ducato Maxi low frame (4.250 kg)' option.
- 13) The 'roof vent with fan' option replaces the standard '40 x 40 cm roof hood above the kitchen'.
- 14) The "70x50 cm panoramic skylight in the living area" is replaced by a "40x40 cm panoramic skylight" in combination with the "electric drop-down bed above the seating group" option (code 13738).
- 15) Only possible in combination with option 761 "hot water heating"
- 16) Not possible in combination with option 761 "Hot water heating"
- 17) Only possible in combination with option 7505 "captain's chair with air suspension from SKA"
- 18) Only possible in combination with option "real leather upholstery"
- 19) Your local trade partner will be happy to help you design and define the "Individual genuine leather".
- 20) Not possible in combination with the option "Macerator ceramic toilet with waste-holding tank" (Code 1625).
- 21) Only possible in combination with the option "Dethleffs Naviceiver " (Code 9582).
- 22) The "Top View 360° HD camera" option replaces the standard rear view cameras (1642 and 11541).
- 23) The "Cassette awning Omnistor 6.0 m (electric)" option replaces the standard "Cassette awning Omnistor 6.0 m (manual)".
- 24) Only possible in combination with the option "Bed construction seating group transverse" (code 1944).
- 25) Please note that with the option "Extra seat incl. side couch instead of sideboard" (code 435) the flat screen holder or the optional 32" flat screen (code 9807) is mounted on the entrance module.
- 26) Only possible in combination with the option "Additional seat incl. side couch" (code 435).

# IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

The weight specifications and tests for **motorhomes** are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this **regulation** for you below. Our **dealers** and the Dethleffs configurator on our website offer you additional assistance in configuring your vehicle.

## 1. Technically permissible maximum laden mass

The **technically permissible maximum laden mass** of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the **technically permissible maximum laden mass** of the model you have chosen can be found in the technical data. If the vehicle exceeds the **technically permissible maximum laden mass** in everyday driving, this constitutes an administrative offence which may result in a fine.

## 2. Mass in running order

In simple terms, the **mass in running order** is the basic vehicle with **standard equipment** plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the **standard equipment**, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications;) and an aluminium gas cylinder filled to 100 %;
- the **fuel tank**, which is 90 % full, including fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the **mass in running order** can be found for each model in our sales documents. It is important to note that the value for **mass in running order** given in the sales documents is a default value determined in the **type-approval procedure** and verified by the authorities. It is legally permissible and possible for the **mass in running order** of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible **tolerance** is  $\pm 5\%$ . In this way, the EU legislator accounts for the fact that certain fluctuations in the **mass in running order** occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- **Mass in running order** acc. to sales documents: 2,850 kg
- Legally permissible **tolerance** of  $\pm 5\%$ : 142.50 kg
- Legally permissible range of **mass in running order**: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Dethleffs makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. **Deviations** at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even

with all optimisations. The real weight of the vehicle and compliance with the permissible **tolerance** is therefore checked by Dethleffs by weighing each vehicle at the **end of the line**.

## 3. Mass of the passengers

The **mass of the passengers** is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The **mass of the driver** is already included in the **mass in running order** (see no. 2 above) and is therefore not included again. In the case of a **motorhome** with four **permitted seats**, the **mass of the passengers** is therefore  $3 * 75 \text{ kg} = 225 \text{ kg}$ .

## 4. Optional equipment and actual mass of the vehicle

**Optional equipment** (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the **standard equipment** which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the **optional equipment** that can be ordered can be found in our sales documents. **Optional equipment** in this sense does not include other **accessories** that are retrofitted by the **dealer** or you personally after the vehicle has been delivered ex works.

The **mass of the vehicle in running order** (see no. 2 above) and the mass of the **optional equipment** fitted to a specific vehicle at the factory are together referred to as the **actual mass**. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the **mass in running order** – as an element of the **actual mass** – is subject to a legally permissible **tolerance** of  $\pm 5\%$  (see no. 2), the **actual mass** may also deviate accordingly from the stated nominal value.

## 5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg  $\geq 10 * (n + L)$

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g.  $10 \text{ kg} * (4 + 6) = 100 \text{ kg}$ .

To ensure that the **minimum pay-mass** is maintained, there is a maximum combination of **optional equipment** that can be ordered for each vehicle model. In the above example with a **minimum pay-mass** of 100 kg, the total mass of **optional equipment** for a vehicle with four **permitted seats** and a **mass in running order** of 2,850 kg should not exceed 325 kg:

3,500 kg **technically permissible maximum laden mass**  
 - 2,850 kg **mass in running order**  
 - 3\*75 kg **mass of the passengers**  
 - 100 kg **minimum pay-mass**  
 = 325 kg **maximum permissible mass of optional equipment**

It is important to note that this calculation is based on the default value for **mass in running order** as defined in the **type-approval procedure**, without taking into account the permissible weight deviations for **mass in running order** (see no. 2 above). If the maximum permissible value for the **optional equipment** of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the **minimum pay-mass** of 100 kg being met mathematically using the default value for the **mass in running order**, although in fact there is no corresponding **load capacity**. Here, too, an example calculation for a vehicle with four seats, whose real weighed **mass in running order** is 2 % above the nominal value:

3.500 kg **technically permissible maximum laden mass**  
 - 2.907 kg **real weighed mass in running order** (+ 2 % compared to the stated value of 2,850 kg)  
 - 3\*75 kg **mass of the passengers**  
 - 325 kg **optional equipment** (maximum permissible value)  
 = 43 kg **actual load capacity** (< **minimum pay-mass** of 100 kg)

In order to avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total **optional equipment** that can be ordered on a model-specific basis. The limitation of **optional equipment** is intended to ensure that the **minimum pay-mass**, i.e. the legally prescribed free mass for **baggage** and retrofitted **accessories**, is actually available for the **vehicle load capacity** of the vehicles delivered by Dethleffs. Since the weight of a specific vehicle can only be determined when it is weighed at the **end of the line**, in very rare cases a situation may arise in which the **minimum pay-mass** at the **end of the line** is not guaranteed, despite this limitation of **optional equipment**. In order to guarantee the **minimum pay-mass** even in these cases, Dethleffs will check together with your **trade partner** and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or **optional equipment** is removed.

## 6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the **minimum pay-mass**, you should note that unavoidable production-related fluctuations in the **mass in running order** – both upwards and downwards – have a mirror-image effect on the remaining **load capacity**: If you order our example vehicle (see no. 3. above), for example, with **optional equipment** with a total weight of 150 kg, the calculated **pay-mass** based on the default value for the **mass in running order** is 275 kg. The **load capacity** actually available may deviate from this value due to **tolerances** and may be higher or lower. If the **mass in running or-**

**der** of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the **load capacity** is reduced from 275 kg to 218 kg:

3.500 kg **technically permissible maximum laden mass**  
 2.907 kg **real weighed mass in running order** (+ 2 % compared to the stated value of 2,850 kg)  
 3\*75 kg **mass of the passengers**  
 150 kg **optional equipment** ordered for the specific vehicle  
 = 218 kg **sactical load capacity**

As a precaution to ensure that the calculated **pay-mass** is actually given, you should therefore take the possible and permissible **tolerances** for the **mass in running order** into account when configuring your vehicle. We also recommend that you weigh the laden **motorhome** on a non-automatic scale before each journey and, taking the individual weight of the **passengers** into account, determine whether the **technically permissible maximum laden mass** and the **technically permissible maximum mass on the axle** are observed.

## General Information

The information on the scope of delivery, appearance, performance, dimensions and weights of the vehicles corresponds to the knowledge available at the time of going to press and to the European homologation regulations.

Technical changes in design and equipment as well as errors excepted. These Technical Information is valid from 17 September 2025. Vehicle illustrations in this document may contain optional equipment subject to an extra charge. We expressly reserve the right to make changes. With the publication of this Technical Information, all previous technical documents lose their validity.

Dethleffs GmbH & Co.KG  
Arist-Dethleffs-Straße 12 • 88316 Isny im Allgäu  
[www.dethleffs.com](http://www.dethleffs.com) • [info@dethleffs.com](mailto:info@dethleffs.com)

valid from September 17th, 2025 | Art.: 4307

***Dethleffs***  
A friend of the family